



Date: 7/24/25

This weekly report from the New York State Department of Health presents summaries of select ongoing and emerging infectious disease outbreaks of interest to public health professionals and the public, both globally and in the United States. The Global Health Update summaries include preliminary and up-to-date data that are publicly available for these events at the time of posting. Because this report aggregates and summarizes data and information from outside sources, the quality, accuracy or completeness of that data, and the appropriateness of the methodology used, cannot be guaranteed. Please refer directly to those sources for any data questions. Because the report includes preliminary information, subsequent reports may contain updates or revisions to information in prior reports.

Contents

Chikungunya.....	1
Dengue.....	3
Measles.....	4
Mpox.....	6
Non-Seasonal Influenza	8
Pertussis.....	10
Polio.....	11
Salmonella.....	12
Other Outbreaks and Events (2025).....	12

Chikungunya

Region of the Indian Ocean – Active Level 2 Travel Health Notice:

The Region of the Indian Ocean is experiencing chikungunya outbreaks in several countries, prompting the United States Center for Disease Control and Prevention (CDC) to issue a Travel Health Notice. The notice advises using insect repellent, wearing appropriate clothing, and staying in areas with air condition or screens. Vaccination is recommended for those visiting outbreak areas and pregnant women should reconsider travel.

According to the most recent reports available, there have been 54,410 confirmed cases and 27 deaths reported in [Réunion](#), 1,098 confirmed cases reported in [Mayotte](#), 614 cases (of which 97 are confirmed) reported in [Kenya](#), and 1,581 cases reported in [Mauritius](#) during 2025.




Figure Notes: Information last updated by CDC on June 10, 2025.

Additional Information:

- The CDC currently has a [Level 2 – Practice Enhanced Precautions](#) travel notice posted regarding chikungunya in the Region of the Indian Ocean.
- According to [CDC data](#) as of July 16, there have been a total of 45 travel associated chikungunya cases reported among US travelers during 2025.
- This week, the [WHO reported](#) that they are observing the same warning signs and transmission patterns as in an epidemic [20 years ago](#) in the same region.

Sources: [CDC \(06/16/2025\)](#), [SPF \(07/18/25\)](#), [SPF \(07/04/2025\)](#), [Africa CDC \(07/21/25\)](#), [WHO \(07/13/25\)](#)

The Americas – Updated Data on 2025 Trends:

According to data from the [Pan American Health Organization \(PAHO\)](#), extracted on July 23 , there have been a total of 201,269 suspected chikungunya cases, of which 86,178 are confirmed, and 102 deaths reported in the Americas during 2025. Since the previous update, 7,925 additional suspected cases, of which 4,419 are confirmed, and 3 additional deaths were reported.

Chikungunya Cases and Deaths, Americas, 2025						
Suspected Cases		Confirmed Cases		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR*
201,269	+7,925	86,178	+4,419	102	+3	0.1%

Table Notes: Data extracted on July 23, 2025; †Change in cumulative total compared to prior update; *CFR calculated among confirmed cases.

Cases have been reported by 12 countries, primarily Brazil (193,478), Bolivia (4,721), and Argentina (2,841). Those countries also have the highest cumulative incidence rates, at 90.91, 37.52, and 6.20 per 100,000 residents, respectively. There were 431,409 cases, of which 232,578 were confirmed, and 245 deaths (CFR: 0.1%) reported in the Americas during 2024.

Additional Information:

- The CDC currently has a [Level 2 – Practice Enhanced Precautions](#) travel notice posted regarding chikungunya in Bolivia, specifically in Santa Cruz.
- According to [CDC data](#) as of July 16, there have been a total of 45 travel associated cases chikungunya cases reported among US travelers during 2025.

Source: [PAHO \(07/23/25\)](#)




Figure Notes: Data extracted on July 23, 2025; *Excluding the United States (all cases travel associated).

Dengue

The Americas – Updated Data on 2025 Trends:

According to data from the [Pan American Health Organization \(PAHO\)](#), as of July 19, there have been a total of 3,479,920 suspected dengue cases, of which 1,404,620 are confirmed, and 1,704 deaths reported in the Americas during 2025. Since the previous update, 105,439 additional suspected cases, of which 43,859 are confirmed, and 62 additional deaths were reported.

Dengue Cases and Deaths, Americas, 2025						
Suspected Cases		Confirmed Cases		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR*
3,479,920	+105,439	1,404,620	+43,859	1,704	+62	0.05%

Table Notes: Data as of July 19, 2025; †Change in cumulative total compared to prior update; *CFR calculated among suspected cases.




Figure Notes: Data as of July 19, 2025, and presents suspected cases and suspected case incidence; 14,390 and 4,143 suspected cases missing from figure for 2024 and 2025, respectively.

Suspected cases have been reported by 41 countries in the Americas, primarily Brazil (3,110,498), Colombia (89,387), and Mexico (56,984). Cumulative incidence per 100,000 residents is highest in Guyana (2,639.40), Brazil (1,461.62), and Guadalupe (1,242.63). A total of 13,070,416 suspected cases, of which 6,980,235 were confirmed, and 8,407 deaths (CFR: 0.06%) were reported in the Americas during 2024.

Additional Information:

- The CDC currently has a [Level 1 – Practice Usual Precautions](#) travel notice posted regarding dengue globally, which includes several countries in the Americas reporting higher than usual numbers of dengue cases.
- According to [CDC data](#), as of July 24, a total of 2,086 locally acquired and 398 travel associated dengue cases have been reported in the United States during 2025. Locally acquired cases have been reported in Florida (3), the US Virgin Islands (47) and Puerto Rico (2,036).

Source: [PAHO \(07/21/25\)](#)

Measles

Canada – Cases Reported in 10 Jurisdictions, Most in Ontario:

According to data from the [Public Health Agency of Canada \(PHAC\)](#), as of July 12, 2025, there have been a total of 3,977 measles cases and 1 death reported in Canada during 2025. Since the previous update, 158 additional cases were reported.

Measles Cases, Hospitalizations, and Deaths, Canada, 2025								
Probable Cases		Confirmed Cases		Hospitalizations		Deaths		
Total	Change†	Total	Change†	Total	Change†	Total	Change†	CFR*
312	+5	3,665	+153	310	+20	1	+0	0.03%

Table Notes: Data as of July 12, 2025; †Change in cumulative total compared to prior update; *CFR calculated among probable and confirmed cases.





Figure Notes: Data as of June 12, 2025, and includes confirmed and probable cases; *EPI Week of rash onset.

Cases have been reported by 10 provinces and territories, primarily Ontario (2,279) and Alberta (1,310). There is an ongoing multijurisdictional outbreak that began in October 2024 with 2,658 cases reported – of the cases reported in Canada during 2025, 2,571 are linked to the outbreak. Those aged 5-17 years have been most affected (45%), followed by those aged 18-54 years (28%), and those aged 1-4 years (20%). Among all cases, 92% have been unvaccinated or had unknown vaccination statuses and 8% have been hospitalized. A total of 147 confirmed measles cases and 1 death were reported in Canada during 2024.

Additional Information:

- More up to date information on cases reported in Ontario is available from [Public Health Ontario](#).
- More up to date information on cases reported in Alberta is available from the [Government of Alberta](#).
- The PAHO released an [Epidemiological Update](#) in July regarding measles in the Americas.

Source: [PHAC \(07/21/25\)](#)

Mexico – Cases Reported in 20 Jurisdictions, Most in Chihuahua:

According to data from the [Secretary of Health of Mexico](#), as of July 23, there have been a total of 3,607 confirmed measles cases and 11 deaths reported in Mexico during 2025. Since the previous update, 246 additional confirmed cases and 1 additional death were reported.

Measles Cases, Hospitalizations, and Deaths, Mexico, 2025						
Probable Cases		Confirmed Cases		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR*
6,974	+332	3,607	+246	11	+1	0.3%

Table Notes: Data as of July 23, 2025; †Change in cumulative total compared to prior update; *CFR calculated among confirmed cases.




Figure Notes: Data as of July 23, 2025, and includes confirmed cases only; *EPI Week of rash onset.

Confirmed cases have been reported by 20 states, primarily Chihuahua (3,369) and Sonora (83). Those aged 0-4 years have been most affected (784 cases - 7.54 per 100,000 population), followed by those aged 25-29 years (501 cases – 4.73 per 100,000 population), and those aged 30-34 years (415 cases – 3.98 per 100,000 population).

Additional Information:

- The Government of Mexico posts additional weekly updates with further detail on [Vaccine Preventable Diseases](#).
- The PAHO released an [Epidemiological Update](#) in July regarding measles in the Americas.

Source: [Government of Mexico \(07/23/25\)](#)

United States – Cases Reported in 40 Jurisdictions, Most in Texas:

According to data from [CDC](#), as of July 22, there have been a total of 1,319 confirmed measles cases and 3 deaths reported in the United States during 2025. Since the previous update, 10 additional confirmed cases were reported.

Measles Cases, Hospitalizations, and Deaths, United States, 2025						
Confirmed Cases		Hospitalizations		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR
1,319	+10	165	+1	3	+0	0.2%

Table Notes: Data as of July 22, 2025; †Change in cumulative total compared to prior update; *CFR calculated among confirmed cases.




Figure Notes: Data as of July 22, 2025; *EPI Week of rash onset; Totals for New York State and New York City are combined in figure.

Confirmed cases have been reported by 40 jurisdictions, primarily [Texas](#), [New Mexico](#), and [Kansas](#). There have been 29 outbreaks reported – 87% of confirmed cases are outbreak-associated. Those aged 5-19 years have been most affected (37%), followed by those aged 20+ years (34%), and those aged under 5 years (29%). Among all confirmed cases, 92% have been unvaccinated or had unknown vaccination statuses and 13% have been hospitalized – including 21% of cases aged under 5 years. There were a total of 285 confirmed measles cases and no deaths reported in the United States during 2024.

Additional Information:

- There have been 7 confirmed cases in [New York City \(NYC\)](#) and 7 in [New York State \(NYS\) outside of NYC](#).
- The NYS Department of Health issued a [press release on July 18](#) regarding potential measles exposures in 2 Capital Region emergency departments.
- The NYS Department of Health has issued a [Measles Travel Advisory](#) for all New Yorkers.
- The CDC currently has a [Level 1 – Practice Usual Precautions](#) travel notice posted regarding measles globally.
- Real-time updates on cases and exposures are available via the [CORI Measles Outbreak Response Dashboard](#).
- The Yale School of Public Health produces highly detailed reports on [Measles Outbreaks in North America](#).
- The PAHO released an [Epidemiological Update](#) in July regarding measles in the Americas.
- Confirmed case totals for 2025 are the highest they have been annually since [1992 \(2,126\)](#).

Source: [CDC \(07/23/25\)](#)

Mpox

Africa – Updated Data on Public Health Emergency of International Concern:

According to data from the [World Health Organization \(WHO\)](#), as of July 13, there have been a total of 45,241 confirmed mpox cases and 170 deaths reported in Africa since the beginning of 2024. Since the previous update, 465 additional confirmed cases and 4 additional deaths were reported.

Mpox Cases and Deaths by Select Countries, Africa, 2024-2025						
Geography	Clades Detected	Confirmed Cases		Deaths		
		Total	Change†	Total	Change†	CFR*
Burundi	Ib	4,148	+43	1	+0	0.0%
DRC	Ia and Ib	26,747	+101	65	+0	0.2%
Sierra Leone	IIa and IIb	4,715	+105	35	+3	0.7%
Uganda	Ib	7,403	+0	46	+0	0.6%
Rest of Africa	Ia, Ib, IIa, and IIb	2,228	+216	23	+1	1.0%
Total	Ia, Ib, IIa, and IIb	45,241	+465	170	+4	0.4%

Table Notes: Data as of July 13, 2025. †Change in cumulative total compared to prior update; *CFR calculated among confirmed cases.




Figure Notes: Data as of July 13, 2025, and includes confirmed cases only; *Week of notification – 2,352 cases from the DRC missing from figure.

Confirmed cases have been reported by 28 African countries since the beginning of 2024 (22 during 2025), primarily the Democratic Republic of Congo, Uganda, Burundi, and Sierra Leone. Recently, [Mozambique](#) and [Gambia](#) reported their first mpox cases this year and trends observed in Sierra Leone and the DRC have been declining; however, activity has been increasing in the rest of Africa in countries such as Nigeria, Liberia, Zambia, Kenya, and [Guinea](#).

Additional Information:

- In June 2025, the WHO [reaffirmed](#) that the situation constitutes a Public Health Emergency of International Concern, a designation first [declared on August 14, 2024](#).
- The CDC currently has a [Level 2 – Practice Enhanced Precautions](#) travel notice posted regarding clade II mpox in Liberia and Sierra Leone.

Source: [WHO \(07/18/25\)](#)

Global (Outside of Africa) – New Clade I Case Reported in Australia:

According to data from the [World Health Organization \(WHO\)](#) and a media statement from the [Queensland Health Minister](#), as of July 19, there have been a total of 68 travel associated (imported) and 21 secondary clade I mpox cases reported outside of Africa during 2024-2025. Since the previous update, 1 new imported clade Ib case was reported in Australia, the second clade Ib mpox case reported in Australia. According to a [media report](#) quoting the Queensland Health Minister, the case acquired the infection while in Central Africa.

Travel Associated Clade I Mpox Cases, Global (Outside of Africa), 2024-2025					
Cases (Clade Ia)		Cases (Clade Ib)		Secondary Cases (Clade Ia or Ib)	
Total	Change†	Total	Change†	Total	Change†
4	+0	64	+1	21	+0

Table Notes: Data as of July 19, 2025; †Change in cumulative total compared to prior update.




Figure Notes: Data as of July 19, 2025.

Additional Information:

- There have been 5 confirmed cases of clade Ib mpox reported in the [United States](#), including [New York State](#).

Sources: [WHO \(07/18/25\)](#), [Queensland Government \(07/19/25\)](#), [BEACON \(07/20/25\)](#)

Non-Seasonal Influenza

Cambodia – New Human Case Reported in Tbong Khmum Province (H5N1):

According to data from multiple sources, as of July 22, there have been a total of 13 human H5N1 cases reported in Cambodia during 2025. Since the previous update, [1 additional human case](#) and [1 additional death](#) were reported.

Human Avian Influenza A(H5N1) Cases and Deaths, Cambodia, Past 6 Months				
Confirmed Cases		Deaths		
Total	Change†	Total	Change†	CFR
13	+1	7	+1	53.8%

Table Notes: Data as of July 22, 2025; †Change in cumulative total compared to prior update.





Figure Notes: Data as of July 22, 2025.

On July 22, the Cambodian Ministry of Health reported an additional human H5N1 case among a 6-year-old boy from Tbong Khmum province. The case is currently undergoing intensive medical care and was exposed to sick and dead poultry prior to illness onset. After a period with no human H5N1 cases reported from 2015-2022, there has been a rise in the number of human H5N1 cases reported annually in Cambodia.

Sources: [AFD \(07/22/25\)](#), [CIDRAP \(07/22/25\)](#)

China – New Human Cases Reported in Multiple Provinces (H9N2):

According to data from the [Hong Kong Centre for Health Protection \(HKCHP\)](#), as of July 21, there have been a total of 18 human H9N2 cases reported in China in the past 6 months. Since the previous update, 2 additional human H9N2 cases were reported in Guangdong (1) and Hubei (1) Provinces with symptom onset in May and June, respectively.

Human Avian Influenza A(H9N2) Cases and Deaths, China, Past 6 Months				
Confirmed Cases		Deaths		
Total	Change†	Total	Change†	CFR
18	+2	0	0	0.0%

Table Notes: Data as of July 21, 2025; †Change in cumulative total compared to prior update.

According to a recent [WHO Report](#), both cases recovered from illness without having to be hospitalized and both were exposed to poultry prior to illness onset. Human H9N2 cases have been reported by 9 provinces in China in the past 6 months, primarily Hunan Province (6), and none have been fatal. A total of 132 human H9N2 cases have been reported in China since late 2015, with a record 22 human cases reported during [2024](#).

Source: [HKCHP \(07/22/25\)](#), [WHO \(07/18/25\)](#)

Pertussis

United States – Updated Data on 2025 Trends:

According to provisional data from the [CDC](#), as of July 19, there have been a total of 16,306 pertussis cases and at least [5 deaths](#) reported among US residents during 2025. Since the previous update, 410 additional cases were reported, of which 170 had symptom onset during the most recent reporting week (a 46.6% decrease compared to the prior week).

Pertussis Cases by Reporting Area with Prior Year Comparison, United States, 2025				
Reporting Area	Cases			
	Current Week	Cumulative (2025)	Cumulative (2024)	Ratio (2025/2024)
New England	1	265	622	0.4
Middle Atlantic	17	1,101	3,603	0.3
East North Central	23	2,718	2,101	1.3
West North Central	2	1,493	806	1.9
South Atlantic	51	2,199	1,300	1.7
East South Central	14	1,449	360	4.0
West South Central	23	1,069	496	2.2
Mountain	24	1,933	1,044	1.9
Pacific	15	4,063	2,480	1.6
US Territories	0	16	27	0.6
Total	170	16,306	12,839	1.3

Table Notes: Data as of July 19, 2025; Case counts are provisional and subject to change; New York State is included in the Middle Atlantic region.

Case totals for 2025 are currently 1.3-times the total of 2024 as of the same date. There were a total of 35,435 pertussis cases and 10 deaths reported in the US during [2024](#), representing a return to pre-pandemic [trends](#).

Pertussis Cases with Symptom Onset during EPI Week 29 by State, United States & Territories, 2025




Figure Notes: Data as of July 19, 2025; New York State and New York City are combined in figure.

Additional Information:

- At the end of May, the Pan American Health Organization (PAHO) released an [Epidemiological Alert](#) regarding pertussis in the Americas.

- Last week, the Mississippi State Department of Health (MSDH) issues a [health alert](#) warning the public about an increase in pertussis cases in the state.

Source: [CDC \(07/23/25\)](#)

Polio

Global – Additional cVDPV2 Cases Reported in Angola and Yemen:

According to data from the [Global Polio Eradication Initiative \(GPEI\)](#), as of July 21, there have been a total of 16 confirmed wild poliovirus type 1 (WPV1) cases, 88 circulating vaccine-derived poliovirus type 2 (cVDPV2) cases, and 2 circulating vaccine-derived poliovirus type 3 (cVDPV3) cases with onset of paralysis reported during 2025. Since the previous update, 9 additional cVDPV2 cases were reported in Angola (1), and Yemen (8) and confirmed WPV1 cases reported in Afghanistan decreased by 2.

Polio Cases, Global, 2025							
WPV1		cVDPV1		cVDPV2		cVDPV3	
Total	Change†	Total	Change†	Total	Change†	Total	Change†
16	-2	0	+0	88	+9	2	+0

Table Notes: Data as of July 21, 2025, and only includes cases with onset of paralysis during 2025; †Change in cumulative total compared to prior update.




Figure Notes: Data as of July 21, 2025, and only includes cases with onset of paralysis or environmental detection samples collected during 2025.

Polio cases with onset of paralysis during 2025 have been reported by 13 countries. Environmental detections from samples collected during 2025 have been reported by 13 countries with no reported cases, suggesting undetected transmission. A total of 99 WPV1 cases, 11 cVDPV1 cases, 326 cVDPV2 cases, and 4 cVDPV3 cases have been reported with onset of paralysis during 2024.

Additional Information:

- The CDC currently has a [Level 2 – Practice Enhanced Precautions](#) travel notice posted regarding polio globally.

Sources: [GPEI-1 \(07/21/25\)](#), [GPEI-2 \(07/21/25\)](#)

Salmonella

United States – Update on Multistate Outbreaks Linked to Pet Geckos:

According to data from the [CDC](#), as of July 14, there have been a total of 49 cases infected with the outbreak strains of *Salmonella* Muenchen (18) and *Salmonella* Lome (31) that have been linked to pet geckos. Since the previous update, 35 new cases were reported.

Salmonella Outbreak Cases, Hospitalizations, and Deaths, United States, 2024-2025						
Cases		Hospitalizations*		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR
49	+35	9	+1	0	+0	0.00%

Table Notes: Data as of July 14, 2025; *Among 37 cases with information available; †Change in cumulative total compared to prior update.





Figure Notes: Data as of July 14, 2025; *Date of illness onset.

Cases have been reported by 27 states, primarily Pennsylvania (6) and California (4). Cases have reported illness onset dates ranging from December 16, 2024, to June 12, 2025. Cases range from <1 to 80 years of age with a median of 24 years – 20% of cases have been <5 years of age. Of those cases interviewed (37), 51% reported contact with a gecko prior to illness onset. Cases have reported contact with several types of geckos, including crested, leopard, Malaysian cat, African fat-tailed, Satanic leaf-tailed, White-lined, and wild geckos. According to the CDC, this outbreak may not be limited to the states with known illnesses, and the true number of sick people is likely much higher may not be limited to states with reported cases.

Source: [CDC \(07/17/25\)](#)

Other Outbreaks and Events (2025)

Other Outbreaks:

Chikungunya

- Réunion – 54,242 Confirmed Cases Reported, Trends Still Declining ([June 26](#))

COVID-19

- Global – Activity Increasing in Several WHO Regions ([May 29](#))

Ebola

- Uganda – Outbreak Declared Over after 42 Days with No New Cases Identified ([May 1](#))

Lassa Fever

- Nigeria – Weekly Number of New Confirmed Cases Continues to Decline ([May 15](#))
- United Kingdom – Health Security Agency Identifying Case Contacts ([March 13](#))

Listeria

- United States – New Outbreak Linked to Fettucine Alfredo Meals Reported ([June 26](#))
- United States – Multistate Outbreak Linked to Ready-to-Eat Foods ([May 15](#))
- United States – Ongoing Multistate Outbreak Linked to Supplement Shakes ([February 27](#))

Marburg

- Tanzania – Outbreak Declared Over after 42 Days with No New Cases Identified ([March 13](#))

Measles

- Global – WHO Provides Monthly Update for 2025 ([July 17](#))
- Israel – 62 Confirmed Cases Reported Since Mid-April ([May 29](#))
- Morocco – WHO Provides Update on Outbreak Covering all Regions ([May 15](#))
- Vietnam – Over 75,000 Suspected Cases Reported ([April 24](#))
- Europe – 2025 Case Trends Lower Compared to 2024, Driven by Romania ([April 3](#))
- Region of the Americas – PAHO Issues Updated Rapid Risk Assessment ([March 27](#))

Meningococcal Disease

- Kingdom of Saudi Arabia – Many Cases Reported in Association with Travel for Umrah ([April 17](#))

Middle East Respiratory Syndrome (MERS)

- Kingdom of Saudi Arabia – WHO Issues Update on Detected Cases ([May 15](#))

Mpox

- United States – WHO Reports Clade I Wastewater Detections in California ([May 1](#))
- United States – Clade I Mpox Detected in North Carolina Wastewater Samples ([April 24](#))
- United Kingdom - Confirmed Clade Ib Mpox Case Detected with No Travel Link ([April 10](#))

Non-Seasonal Influenza

- India – New Human Case Reported (H5N1) ([July 17](#))
- Bangladesh – New Human Case Reported (H5N1) ([July 17](#))
- United States – New Livestock and Poultry Flock Detections Reported (HPAI) ([June 5](#))
- China – Imported Human Case Reported among Adult (H5N1) ([May 29](#))
- Vietnam – Human Case Reported with Encephalitis (H5N1) ([April 24](#))
- Mexico – Fatal Human Case Detected among Toddler (H5N1) ([April 10](#))
- United States – First Detection of 2024-2025 Season Reported in Iowa (H1N2v) ([February 13](#))
- United Kingdom – Confirmed Case Detected among Poultry Worker (H5N1) ([January 30](#))

Norovirus

- United States – Weekly Number of Outbreaks Reported Continues to Decline ([April 17](#))

Oropouche

- The Americas – Updated Data on 2025 Trends ([July 17](#))

Salmonella

- United States – Outbreak Linked to Eggs Declared Over ([July 17](#))
- United States – New Outbreak Linked to Frozen Sprouted Beans Reported ([July 17](#))
- United States – Update on Outbreak Linked to Backyard Poultry ([June 26](#))
- United States – New Outbreak Linked to Pistachio Cream Reported ([June 26](#))
- United States – Update on Multistate Outbreak Linked to Whole Cucumbers ([June 5](#))
- United States – Update on Multistate Outbreak Linked to Pet Geckos ([May 29](#))
- United States and Canada – Outbreak Linked to Miniature Pastries ([February 13](#))

Seasonal Influenza

- United States – Pediatric Deaths Reach 15 Year High ([May 8](#))

Tuberculosis

- England – Increasing National Trend ([February 6](#))
- United States – Increasing National Trend ([February 6](#))

Unknown Febrile Illness (Malaria)

- Democratic Republic of the Congo – Cause of Illness and Deaths Determined ([March 27](#))

Yellow Fever

- The Americas – Updated Data on 2025 Trends ([July 17](#))

Other Events:

- [Timor-Leste certified malaria-free by WHO](#)
- [Quest Diagnostics Introduces Test for Oropouche Virus](#)
- [HHS accepts advisory group's recommendation to remove thimerosal from US flu vaccines | CIDRAP](#)
- [New WHO Guidelines on lenacapavir for HIV prevention and testing strategies for long-acting injectable pre-exposure prophylaxis](#)
- [Burundi eliminates trachoma as a public health problem](#)
- [Senegal joins growing list of countries that have eliminated trachoma](#)