



Date: 8/21/25

This weekly report from the New York State Department of Health presents summaries of select ongoing and emerging infectious disease outbreaks of interest to public health professionals and the public, both globally and in the United States. The Global Health Update summaries include preliminary and up-to-date data that are publicly available for these events at the time of posting. Because this report aggregates and summarizes data and information from outside sources, the quality, accuracy or completeness of that data, and the appropriateness of the methodology used, cannot be guaranteed. Please refer directly to those sources for any data questions. Because the report includes preliminary information, subsequent reports may contain updates or revisions to information in prior reports.

Contents


Chikungunya.....	1
Measles.....	3
Mpox.....	6
Oropouche	8
Pertussis.....	9
Polio	10
Salmonella.....	11
Other Outbreaks, News, and Events (2025).....	12

Chikungunya

Europe – Record Number of Outbreaks Recorded:

According to data from [Public Health France](#), as of August 19, there have been a total of 154 locally acquired chikungunya cases reported during 2025. Since the previous update, 39 additional locally acquired cases were reported. Cases have been reported in several regions, primarily Provence-Alpes-Cote d'Azur (66). According to data from the [Higher Institute of Health in Italy](#) extracted on August 21, there have been a total of 29 locally acquired chikungunya cases reported during 2025. Since the previous update, 22 additional locally acquired cases were reported. Cases have been reported in Emilia-Romagna (26) and Veneto (3).

Chikungunya Cases by Region, France, 2025



Chikungunya Cases by Region, Italy, 2025



Figure Notes: Data for France as of August 19, 2025; Data for Italy extracted on August 21, 2025.

Additional Information:

- According to the [European Centre for Disease Prevention and Control \(ECDC\)](#), Europe is experiencing longer and more intense transmission seasons for mosquito-borne diseases, including chikungunya, primarily driven by climactic and environmental factors. A total of 27 chikungunya outbreaks have been observed during 2025 – a new record for the continent.
- In France, from May 1 – August 19, 2025, there were 932 travel associated chikungunya cases reported, compared to 34 during all of [2024](#).
- In Italy, there have been a total of 37 travel associated chikungunya cases reported so far during 2025 compared to 17 during all of [2024](#).
- Travel associated cases have also been reported in other European countries during 2025, including Germany, Italy, Spain, and the [United Kingdom](#).

Sources: [SPF \(08/20/25\)](#), [ISS \(08/21/25\)](#)

The Americas – Updated Data on 2025 Trends:

According to data from the [Pan American Health Organization \(PAHO\)](#) extracted on August 21, there have been a total of 215,479 suspected chikungunya cases, of which 93,146 are confirmed, and 107 deaths reported in the Americas during 2025. Since the previous update, 3,450 additional suspected cases, of which 2,011 are confirmed, were reported.

Chikungunya Cases and Deaths, Americas, 2025						
Suspected Cases		Confirmed Cases		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR*
215,479	+3,450	93,146	+2,011	107	+0	0.1%

Table Notes: Data extracted on August 21, 2025; †Change in cumulative total compared to prior update; *CFR calculated among confirmed cases.

Suspected cases have been reported by 14 countries, primarily Brazil (207,461), Bolivia (5,113), and Argentina (2,656). Those countries also have the highest cumulative incidence rates, at 97.49, 40.64, and 5.79 per 100,000 residents, respectively. There were 431,417 suspected cases, of which 232,586 were confirmed, and 245 deaths (CFR: 0.1%) reported in the Americas during 2024.

Additional Information:

- The CDC currently has a [Level 2 – Practice Enhanced Precautions](#) travel notice posted regarding chikungunya in Bolivia, specifically in Santa Cruz.
- According to [CDC data](#) as of August 19, there have been a total of 54 travel associated cases chikungunya cases reported among US travelers during 2025.

Source: [PAHO \(08/21/25\)](#)

Chikungunya Incidence by Country, the Americas*, 2025



Figure Notes: Data extracted on August 21, 2025; *Excluding the United States (all cases travel associated).

Measles

Global – WHO Provides Monthly Update on Cases and Rates for 2025:

According to data submitted to the [World Health Organization \(WHO\)](#) by member states, as of August 18, the top 10 countries reporting the highest number of confirmed measles cases during 2025 include: Yemen (22,062), Pakistan (14,390), India (11,957), Kyrgyzstan (8,125), Afghanistan (7,840), Nigeria (5,896), Ethiopia (5,008), Russia (4,268), Canada (4,067), and Romania (4,058). The top 10 countries with the highest cumulative incidence rates per 1 million population during 2025 include: Kyrgyzstan (1909.32), Yemen (905.36), Mongolia (578.56), Romania (367.9), Tajikistan (349.0), Afghanistan (306.54), Georgia (233.73), Kazakhstan (188.75), Canada (173.75), and Belize (137.82).




Figure Notes: Data as of August 18, 2025.

Additional Information:

- The CDC currently has a [Level 1 – Practice Usual Precautions](#) travel notice posted regarding measles globally.
- According to the Pan American Health Organization (PAHO) there has been a [34-fold increase](#) in reported measles cases during 2025 in the Americas compared to the same period in 2024. Ten countries in the region have reported cases this year, most recently [Paraguay](#), and Mennonite communities in 8 countries have been particularly affected.

Source: [WHO \(08/18/25\)](#)

Canada – Cases Reported in 10 Jurisdictions, Most in Ontario:

According to data from the [Public Health Agency of Canada \(PHAC\)](#), as of August 9, there have been a total of 4,638 measles cases and 1 death reported in Canada during 2025. Since the previous update, 94 additional cases were reported.

Measles Cases, Hospitalizations, and Deaths, Canada, 2025								
Probable Cases		Confirmed Cases		Hospitalizations		Deaths		
Total	Change†	Total	Change†	Total	Change†	Total	Change†	CFR*
328	+1	4,310	+93	347	+6	1	+0	0.02%

Table Notes: Data as of August 9, 2025; †Change in cumulative total compared to prior update; *CFR calculated among probable and confirmed cases.




Figure Notes: Data as of August 9, 2025, and includes confirmed and probable cases; *EPI Week of rash onset.

Cases have been reported by 10 provinces and territories, primarily Ontario (2,366) and Alberta (1,731). Those aged 5-17 years have been most affected (44%), followed by those aged 18-54 years (29%), and those aged 1-4 years (20%). Among all cases, 93% have been unvaccinated or had unknown vaccination statuses and 7% have been hospitalized. A total of 147 confirmed measles cases and 1 death were reported in Canada during 2024.

Additional Information:

- More up to date information on cases reported in Ontario is available from [Public Health Ontario](#).
- More up to date information on cases reported in Alberta is available from the [Government of Alberta](#).

Source: [PHAC \(08/18/25\)](#)

Israel – Second Death Reported among Hospitalized Child in Growing Outbreak:

According to the [Israeli Health Ministry](#), as of August 14, there have been a total of 526 measles cases and 2 deaths reported in Israel during 2025. Since the previous update, 23 additional cases and 1 death were reported.

Measles Cases, Current Hospitalizations, and Deaths, Israel, 2025								
Cases		Active Cases		Current Hospitalizations		Deaths		
Total	Change†	Total	Change†	Total	Change†	Total	Change†	CFR*
526	+23	209	+22	19	+7	2	+1	0.4%

Table Notes: Data as of August 14, 2025; †Change in cumulative total compared to prior update; *CFR calculated among all cases.

Cases have been reported primarily among unvaccinated populations in Jerusalem, Beit Shemesh, and Bnei Brak. A total of 209 cases are still actively infectious. Currently, 19 children are hospitalized, all under the age of 6 years. The number of hospitalizations observed among cases has been high and mostly among unvaccinated children, with the Ministry estimating the total number of infections to be [between 950-1,700 cases](#). A total of [54 measles cases](#) reported in Israel during 2023-2024.

Additional Information:

- During 2018-2019, Israel experienced a large measles outbreak with approximately 4,300 cases that was linked to outbreaks in [New York excluding New York City \(242 cases\)](#), [New Jersey \(33 cases\)](#), and [New York City \(649 cases\)](#).

Sources: [BEACON \(08/17/25\)](#), [Israeli Ministry of Health \(08/16/25\)](#).

Mexico – Cases Reported in 21 Jurisdictions, Most in Chihuahua:

According to data from the [Secretary of Health of Mexico](#), as of August 20, there have been a total of 4,186 confirmed measles cases and 15 deaths reported in Mexico during 2025. Since the previous update, 128 additional confirmed cases and 1 additional death were reported.

Measles Cases, Hospitalizations, and Deaths, Mexico, 2025						
Probable Cases		Confirmed Cases		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR*
8,246	+530	4,186	+128	15	+1	0.4%

Table Notes: Data as of August 20, 2025; †Change in cumulative total compared to prior update; *CFR calculated among confirmed cases.




Figure Notes: Data as of August 20, 2025, and includes confirmed cases only; *EPI Week of rash onset.

Confirmed cases have been reported by 21 states, primarily Chihuahua (3,894) and Sonora (87). Those aged 0-4 years have been most affected (984 cases – 9.46 per 100,000 population), followed by those aged 25-29 years (560 cases – 5.28 per 100,000 population), and those aged 30-34 years (455 cases – 4.36 per 100,000 population).

Additional Information:

- The Government of Mexico posts additional weekly updates with further detail on [Vaccine Preventable Diseases](#).

Source: [Government of Mexico \(08/20/25\)](#)


United States – West Texas Outbreak Declared Over by Health Officials:

According to data from [CDC](#), as of August 19, there have been a total of 1,375 confirmed measles cases and 3 deaths reported in the United States during 2025. Since the previous update, 19 additional confirmed cases were reported.

Measles Cases, Hospitalizations, and Deaths, United States, 2025						
Confirmed Cases		Hospitalizations		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR
1,375	+19	173	+2	3	+0	0.2%

Table Notes: Data as of August 19, 2025; †Change in cumulative total compared to prior update; *CFR calculated among confirmed cases.

Measles Cases by EPI Week*, United States, 2023-2025



Measles Cases by State, United States, 2025




Figure Notes: Data as of August 19, 2025; *EPI Week of rash onset; Totals for New York State and New York City are combined in figure.

Confirmed cases have been reported by 42 jurisdictions, primarily [Texas](#), [New Mexico](#), and [Kansas](#). There have been 35 outbreaks reported – 87% of confirmed cases are outbreak-associated. The largest outbreak (762 cases), centered in West Texas, was recently declared over by the [Texas Department of State Health Services](#). Those aged 5-19 years have been most affected (37%), followed by those aged 20+ years (34%), and those aged under 5 years (28%). Among all confirmed cases, 92% have been unvaccinated or had unknown vaccination statuses and 13% have been hospitalized – including 21% of cases aged under 5 years. There were a total of 285 confirmed measles cases and no deaths reported in the United States during 2024.

Additional Information:

- There have been 9 confirmed cases in [New York City \(NYC\)](#) and 7 in [New York State \(NYS\) outside of NYC](#).
- The NYS Department of Health has issued a [Measles Travel Advisory](#) for all New Yorkers.
- The CDC currently has a [Level 1 – Practice Usual Precautions](#) travel notice posted regarding measles globally.
- Real-time updates on cases and exposures are available via the [CORI Measles Outbreak Response Dashboard](#).
- The Yale School of Public Health produces highly detailed reports on [Measles Outbreaks in North America](#).
- Confirmed case totals for 2025 are the highest they have been annually since [1992 \(2,126\)](#).

Source: [CDC \(08/20/25\)](#)

Mpox

Africa – Updated Data on Public Health Emergency of International Concern:

According to data from the [World Health Organization \(WHO\)](#), as of August 10, there have been a total of 48,539 confirmed mpox cases and 194 deaths reported in Africa since the beginning of 2024. Since the previous update, 775 additional confirmed cases and 4 additional deaths were reported.

Mpox Cases and Deaths by Select Countries, Africa, 2024-2025						
Geography	Clades Detected	Confirmed Cases		Deaths		
		Total	Change†	Total	Change†	CFR*
Burundi	Ib	4,313	+39	1	+0	0.0%
DRC	Ia, Ib, IIa, and IIb	27,961	+300	67	+0	0.2%
Liberia	IIa and IIb	512	+50	0	+0	0.0%
Sierra Leone	IIa and IIb	5,114	+42	50	+3	1.0%

Uganda	Ib	7,864	+71	48	+0	0.6%
Rest of Africa	Ia, Ib, IIa, and IIb	2,775	+253	28	+1	1.0%
Total	Ia, Ib, IIa, and IIb	48,539	+775	194	+4	0.4%

Table Notes: Data as of August 10, 2025. †Change in cumulative total compared to prior update; *CFR calculated among confirmed cases.




Figure Notes: Data as of August 10, 2025, and includes confirmed cases only; *Week of notification – 2,352 cases from the DRC missing from figure.

Confirmed cases have been reported by 28 African countries since the beginning of 2024 (24 during 2025), primarily the Democratic Republic of Congo (DRC), Uganda, Burundi, and Sierra Leone. Activity during the past 6 weeks has been highest in these countries as well as [Guinea](#), Liberia, [Ghana](#), and [Kenya](#).

Additional Information:

- In June 2025, the WHO [reaffirmed](#) that the situation constitutes a Public Health Emergency of International Concern, a designation first [declared on August 14, 2024](#).
- The CDC currently has a [Level 2 – Practice Enhanced Precautions](#) travel notice posted regarding clade II mpox in Liberia and Sierra Leone.

Source: [WHO \(08/15/25\)](#)

Global (Outside of Africa) – Imported Clade Ib Case Reported in Turkey:

According to data from the [World Health Organization \(WHO\)](#), as of August 10, there have been a total of 71 travel associated (imported) and 32 secondary clade I mpox cases reported outside of Africa since the beginning of 2024. Since the previous update, 1 additional imported clade Ib case was reported in Turkey among an individual with travel history to the United Arab Emirates.

Travel Associated Clade I Mpox Cases, Global (Outside of Africa), 2024-2025					
Cases (Clade Ia)		Cases (Clade Ib)		Secondary Cases (Clade Ia or Ib)	
Total	Change†	Total	Change†	Total	Change†
4	+0	67	+1	32	+0

Table Notes: Data as of August 10, 2025; †Change in cumulative total compared to prior update.

Imported Clade I Mpox Cases, Global (Outside Africa), 2024-2025



Figure Notes: Data as of August 10, 2025, and does not include secondary cases.

Additional Information:

- There have been 5 confirmed cases of clade Ib mpox reported in the [United States](#), including [New York State](#).

Sources: [WHO \(08/15/25\)](#)

Oropouche


The Americas – Updated Data on 2025 Trends:

According to data from the [Pan American Health Organization \(PAHO\)](#) extracted on August 20, there have been a total of 16,398 suspected oropouche cases, of which 12,704 are confirmed, and 6 deaths reported in the Americas during 2025. Since the previous update, 106 additional suspected cases, of which 103 are confirmed, were reported.

Oropouche Cases and Deaths, the Americas, 2025						
Suspected Cases		Confirmed Cases		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR*
16,398	+106	12,704	+103	6	+0	0.05%

Table Notes: Data extracted on August 20, 2025, and only includes locally acquired cases; †Change in cumulative total compared to prior update; *CFR calculated among confirmed cases.

Oropouche Cases by EPI Week, the Americas, 2024-2025



Oropouche Cases by Country, the Americas, 2025




Figure Notes: Data extracted on August 20, 2025, and includes confirmed locally acquired cases only.

Confirmed locally acquired cases have been reported by 7 countries in the Americas, primarily [Brazil](#) (11,900), Panama (516), and Peru (233). There were a total of 39,893 oropouche cases, of which 16,260 were confirmed, and 4 deaths (CFR: 0.02%) reported in the Americas during 2024.

Additional Information:

- The PAHO recently released an [Epidemiological Update](#) regarding oropouche in the Americas with additional detail on each affected country.
- The CDC currently has a [Level 1 – Practice Usual Precautions](#) travel notice posted regarding oropouche in the Americas, and a [Level 2 – Practice Enhanced Precautions](#) travel notice posted regarding oropouche in parts of Brazil and Panama.
- According to [CDC data](#), as of August 19, a total of 109 cases have been reported in the United States during 2024 (108) and 2025 (1), all of which have been travel associated.
- Travel associated cases have also been reported in [European Union \(EU\) and European Economic Area \(EEA\) countries](#) and the [United Kingdom](#) among individuals with recent travel history to the region.

Source: [PAHO \(08/20/25\)](#)

Pertussis

Japan – Updated Data on Largest Outbreak Since 2019:

According to data from the [Japan Institute for Health Security \(JIHS\)](#), as of August 13, there have been a total of 64,467 pertussis cases reported in Japan during 2025. Since the previous update, 3,641 additional pertussis cases were reported, of which 3,211 had symptom onset during epidemiological week 32 (a 10.8% decrease compared to the prior week). Cases have been reported in all 47 prefectures, with Tokyo (4,762), Niigata (3,294), and Saitama (3,368) reporting the highest cumulative totals.

Additional Information:

- This is the highest number of pertussis cases reported in Japan since [2019 \(16,845\)](#).

Sources: [NHK \(08/18/25\)](#), [JIHS \(08/19/25\)](#)




Figure Notes: Data as of August 13, 2025.

United States – Updated Data on 2025 Trends:

According to provisional data from the [CDC](#), as of August 16, there have been a total of 18,638 pertussis cases and at least [5 deaths](#) reported among United States residents and residents of United States Territories during 2025. Since the previous update, 658 additional cases were reported, of which 164 had symptom onset during epidemiological week 33, a 6.8% decrease compared to epidemiological week 32 (176).

Pertussis Cases by Reporting Area with Prior Year Comparison, United States, 2025				
Reporting Area	Cases			
	Current Week	Cumulative (2025)	Cumulative (2024)	Ratio (2025/2024)
New England	0	306	898	0.3
Middle Atlantic	23	1,255	4,468	0.3
East North Central	33	3,056	2,769	1.1
West North Central	7	1,674	1,102	1.5
South Atlantic	10	2,549	1,617	1.6

East South Central	38	1,785	480	3.7
West South Central	8	1,231	686	1.8
Mountain	22	2,141	1,429	1.5
Pacific	23	4,530	2,946	1.5
United States Territories	0	111	29	3.8
Total	164	18,638	16,424	1.1

Table Notes: Data as of August 16, 2025; Case counts are provisional and subject to change; New York State is included in the Middle Atlantic region.

Case totals for 2025 are currently 1.1-times the total for 2024 as of the same date. According to [CDC](#), reported cases remain elevated this year with past trends suggesting that cases may increase during the summer and fall. There were a total of 35,435 pertussis cases and 10 deaths reported in the US during [2024](#), representing a return to pre-pandemic [trends](#).




Figure Notes: Data as of August 16, 2025; New York State and New York City are combined in figure.

Sources: [CDC \(08/20/25\)](#), [CDC \(06/11/25\)](#)

Polio

Global – New WPV1 and cVDPV2 Cases Reported in Multiple Countries:

According to data from the [Global Polio Eradication Initiative \(GPEI\)](#), as of August 18, there have been a total of 23 confirmed wild poliovirus type 1 (WPV1) cases, 1 confirmed circulating vaccine-derived poliovirus type 1 (cVDPV1) case, 121 circulating vaccine-derived poliovirus type 2 (cVDPV2) cases, and 3 circulating vaccine-derived poliovirus type 3 (cVDPV3) cases with onset of paralysis during 2025 reported this year. Since the previous update, 2 additional WPV1 cases were reported in [Pakistan](#), and 13 additional cVDPV2 cases were reported in Angola (1), the Central African Republic (1), and Yemen (11).

Polio Cases, Global, 2025							
WPV1		cVDPV1		cVDPV2		cVDPV3	
Total	Change†	Total	Change†	Total	Change†	Total	Change†
23	+2	1	+0	121	+13	3	+0

Table Notes: Data as of August 18, 2025, and only includes cases with onset of paralysis during 2025; †Change in cumulative total compared to prior update.

Polio Detections by Country, Global, 2025




Figure Notes: Data as of August 18, 2025, and only includes cases with onset of paralysis or environmental detection samples collected during 2025.

Polio cases with onset of paralysis during 2025 have been reported by 16 countries. Environmental detections from samples collected during 2025 have been reported by 11 countries with no reported cases, suggesting undetected transmission. A total of 99 WPV1 cases, 11 cVDPV1 cases, 425 cVDPV2 cases, and 4 cVDPV3 cases have been reported globally with onset of paralysis during 2024.

Additional Information:

- The CDC currently has a [Level 2 – Practice Enhanced Precautions](#) travel notice posted regarding polio globally.
- According to [WHO](#), between February and July of this year, 9 genetically linked environmental cVDPV1 detections have been reported in Israel from 7 sites, primarily Jerusalem and the Central Region. No cases of paralytic polio have been reported; however, polio is circulating in under-vaccinated, vaccine-sceptic communities with ties to similar groups abroad.

Sources: [GPEI-1 \(08/18/25\)](#), [GPEI-2 \(08/18/25\)](#)

Salmonella


United States – Update on Outbreak Linked to Backyard Poultry:

According to data from the [CDC](#), as of August 8, there have been a total of 429 cases of *Salmonella* Anatum, Cerro, Enteritidis, Indiana, Johannesburg, London, and Mbandaka infections linked to backyard poultry. Since the previous update, 242 additional cases and 1 additional death were reported.

Salmonella Outbreak Cases, Hospitalizations, and Deaths, United States, 2025						
Cases		Hospitalizations*		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR
429	+242	93	+51	2	+1	0.5%

Table Notes: Data as of August 8, 2025; †Change in cumulative total compared to prior update.

Salmonella Cases by Date*, United States, 2024-2025



Salmonella Cases by State, United States, 2024-2025




Figure Notes: Data as of August 8, 2025; *Date of illness onset.

Cases have been reported in 47 states, primarily Pennsylvania (55), Michigan (29), Minnesota (25), and Ohio (23). Cases reported dates of illness onset ranging from December 27, 2024 – July 26, 2025. Cases range from <1-92 years of age with a median age of 40 years. Among 270 cases with information regarding animal contact (206), 76% reported contact with backyard poultry prior to illness onset. Among cases who reported owning backyard poultry (99), 83% reported purchasing or obtaining poultry during 2025 from agricultural retail stores. Current outbreak strains have been linked to 4 hatcheries.

Additional Information:

- CDC has published guidance on [how to stay healthy around backyard poultry](#).

Source: [CDC \(08/21/25\)](#)

Other Outbreaks, News, and Events (2025)

Other Outbreaks:

Chikungunya

- China – CDC Issues Travel Alert Due to Outbreak in Guangdong Province ([August 7](#))
- Region of the Indian Ocean – Active Level 2 Travel Health Notice ([July 24](#))
- Réunion – 54,242 Confirmed Cases Reported, Trends Still Declining ([June 26](#))

COVID-19

- Global – Activity Increasing in Several WHO Regions ([May 29](#))

Dengue

- The Americas – Updated Data on 2025 Trends ([August 7](#))

Ebola

- Uganda – Outbreak Declared Over after 42 Days with No New Cases Identified ([May 1](#))

Lassa Fever

- Nigeria – Weekly Number of New Confirmed Cases Continues to Decline ([May 15](#))
- United Kingdom – Health Security Agency Identifying Case Contacts ([March 13](#))

Listeria

- United States – New Outbreak Linked to Fettucine Alfredo Meals Reported ([June 26](#))
- United States – Multistate Outbreak Linked to Ready-to-Eat Foods ([May 15](#))
- United States – Ongoing Multistate Outbreak Linked to Supplement Shakes ([February 27](#))

Marburg

- Tanzania – Outbreak Declared Over after 42 Days with No New Cases Identified ([March 13](#))

Measles

- Morocco – WHO Provides Update on Outbreak Covering all Regions ([May 15](#))
- Vietnam – Over 75,000 Suspected Cases Reported ([April 24](#))
- Europe – 2025 Case Trends Lower Compared to 2024, Driven by Romania ([April 3](#))
- Region of the Americas – PAHO Issues Updated Rapid Risk Assessment ([March 27](#))

Meningococcal Disease

- Kingdom of Saudi Arabia – Many Cases Reported in Association with Travel for Umrah ([April 17](#))

Middle East Respiratory Syndrome (MERS)

- Kingdom of Saudi Arabia – WHO Issues Update on Detected Cases ([May 15](#))

Mpox

- United States – WHO Reports Clade I Wastewater Detections in California ([May 1](#))
- United States – Clade I Mpox Detected in North Carolina Wastewater Samples ([April 24](#))
- United Kingdom - Confirmed Clade Ib Mpox Case Detected with No Travel Link ([April 10](#))

Non-Seasonal Influenza

- Cambodia – New Human Cases Reported in Multiple Provinces ([August 7](#))
- India – New Human Case Reported (H5N1) ([July 17](#))
- Bangladesh – New Human Case Reported (H5N1) ([July 17](#))
- United States – New Livestock and Poultry Flock Detections Reported (HPAI) ([June 5](#))
- China – Imported Human Case Reported among Adult (H5N1) ([May 29](#))
- Vietnam – Human Case Reported with Encephalitis (H5N1) ([April 24](#))
- Mexico – Fatal Human Case Detected among Toddler (H5N1) ([April 10](#))
- United States – First Detection of 2024-2025 Season Reported in Iowa (H1N2v) ([February 13](#))
- United Kingdom – Confirmed Case Detected among Poultry Worker (H5N1) ([January 30](#))

Norovirus

- United States – Weekly Number of Outbreaks Reported Continues to Decline ([April 17](#))

Salmonella

- United States – Outbreak Linked to Eggs Declared Over ([July 17](#))
- United States – New Outbreak Linked to Frozen Sprouted Beans Reported ([July 17](#))
- United States – New Outbreak Linked to Pistachio Cream Reported ([June 26](#))

- United States – Update on Multistate Outbreak Linked to Whole Cucumbers ([June 5](#))
- United States – Update on Multistate Outbreak Linked to Pet Geckos ([May 29](#))
- United States and Canada – Outbreak Linked to Miniature Pastries ([February 13](#))

Seasonal Influenza

- United States – Pediatric Deaths Reach 15 Year High ([May 8](#))

Tuberculosis

- England – Increasing National Trend ([February 6](#))
- United States – Increasing National Trend ([February 6](#))

Unknown Febrile Illness (Malaria)

- Democratic Republic of the Congo – Cause of Illness and Deaths Determined ([March 27](#))

Yellow Fever

- The Americas – Updated Data on 2025 Trends ([August 7](#))

Other News and Events:

- [HHS revives childhood vaccine safety task force | CIDRAP](#)
- [COVID reinfection may raise risk of persistent symptoms by 35% | CIDRAP](#)
- [AAP evidence-backed immunization schedule reflects break from CDC advisers | CIDRAP](#)
- [Vaccine Integrity Project presents reassuring data on vaccines for upcoming respiratory virus season | CIDRAP](#)
- [Dengue, Samoa - BEACON](#)
- [Florida reports 1st locally acquired dengue case in Hillsborough County](#)
- [West Nile virus, Italy - BEACON](#)
- [New Jersey officials probe local malaria infection | CIDRAP](#)
- [Plague, USA - BEACON](#)
- [Legionnaires' Disease - NYC Health](#)