



Date: 8/7/25

This weekly report from the New York State Department of Health presents summaries of select ongoing and emerging infectious disease outbreaks of interest to public health professionals and the public, both globally and in the United States. The Global Health Update summaries include preliminary and up-to-date data that are publicly available for these events at the time of posting. Because this report aggregates and summarizes data and information from outside sources, the quality, accuracy or completeness of that data, and the appropriateness of the methodology used, cannot be guaranteed. Please refer directly to those sources for any data questions. Because the report includes preliminary information, subsequent reports may contain updates or revisions to information in prior reports.

Contents

Chikungunya.....	1
Dengue.....	2
Measles.....	3
Mpox.....	6
Non-Seasonal Influenza	8
Oropouche	9
Pertussis.....	10
Polio	11
Yellow Fever	12
Other Outbreaks and Events (2025).....	13

Chikungunya

The Americas – Updated Data on 2025 Trends:

According to data from the [Pan American Health Organization \(PAHO\)](#), extracted on August 6 , there have been a total of 209,353 suspected chikungunya cases, of which 89,992 are confirmed, and 107 deaths reported in the Americas during 2025. Since the previous update, 8,084 additional suspected cases, of which 3,814 are confirmed, and 5 additional deaths were reported.

Chikungunya Cases and Deaths, Americas, 2025						
Suspected Cases		Confirmed Cases		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR*
209,353	+8,084	89,992	+3,814	107	+5	0.1%

*Table Notes: Data extracted on August 6, 2025; †Change in cumulative total compared to prior update; *CFR calculated among confirmed cases.*


Suspected cases have been reported by 13 countries, primarily Brazil (201,544), Bolivia (4,721), and Argentina (2,848). Those countries also have the highest cumulative incidence rates, at 94.71, 37.52, and 6.21 per 100,000 residents, respectively. There were 431,417 cases, of which 232,586 were confirmed, and 245 deaths (CFR: 0.1%) reported in the Americas during 2024.

Additional Information:

- The CDC currently has a [Level 2 – Practice Enhanced Precautions](#) travel notice posted regarding chikungunya in Bolivia, specifically in Santa Cruz.
- According to [CDC data](#) as of August 5, there have been a total of 46 travel associated cases chikungunya cases reported among US travelers during 2025.

Source: [PAHO \(08/06/25\)](#)

Chikungunya Incidence by Country, the Americas*, 2025



*Figure Notes: Data extracted on August 6, 2025; *Excluding the United States (all cases travel associated).*

China – CDC Issues Travel Alert Due to Outbreak in Guangdong Province:

According to multiple sources, more than 8,000 cases of chikungunya have been reported in Guangdong, China's most populated province with over 127 million people. With the [majority of cases reported in the city of Foshan](#), the ongoing flood season, typhoons, heavy rainfall, and other wet and warm weather has increased mosquito populations and has magnified this outbreak. Guangdong Provincial authorities are using [several approaches](#) to control the outbreak, which are proving effective as the number of new cases reported appear to be decreasing recently.

Additional Information:

- The CDC currently has a [Level 2 – Practice Enhanced Precautions](#) travel notice posted regarding chikungunya in China, specifically Guangdong Province and Foshan city.

Sources: [HKCHP \(08/04/25\)](#), [CDC \(08/01/25\)](#), [BEACON \(08/06/25\)](#), [The Standard \(08/06/25\)](#)

Chikungunya Affected Areas, China, 2025



Dengue

The Americas – Updated Data on 2025 Trends:

According to data from the [Pan American Health Organization \(PAHO\)](#), as of August 2, there have been a total of 3,586,507 suspected dengue cases, of which 1,502,946 are confirmed, and 1,775 deaths reported in the Americas during 2025. Since the previous update, 106,587 additional suspected cases, of which 98,326 are confirmed, and 71 additional deaths were reported.

Dengue Cases and Deaths, Americas, 2025						
Suspected Cases		Confirmed Cases		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR*
3,586,507	+106,587	1,502,946	+98,326	1,775	+71	0.05%

Table Notes: Data as of August 2, 2025; †Change in cumulative total compared to prior update; *CFR calculated among suspected cases.




Figure Notes: Data as of August 2, 2025, and presents suspected cases and suspected case incidence; 14,390 and 4,143 suspected cases missing from figure for 2024 and 2025, respectively.

Suspected cases have been reported by 41 countries in the Americas, primarily Brazil (3,180,580), Colombia (92,937), and Mexico (62,927). Cumulative incidence per 100,000 residents is highest in Guyana (5126.35), Brazil (1,494.55), and Guadalupe (1,242.63). A total of 13,063,434 suspected cases, of which 6,997,321 were confirmed, and 8,431 deaths (CFR: 0.06%) were reported in the Americas during 2024.

Additional Information:

- The CDC currently has a [Level 1 – Practice Usual Precautions](#) travel notice posted regarding dengue globally, which includes several countries in the Americas reporting higher than usual numbers of dengue cases.
- According to [CDC data](#), as of July 31, a total of 2,136 locally acquired and 417 travel associated dengue cases have been reported in the United States during 2025. Locally acquired cases have been reported in Florida (4), the US Virgin Islands (47) and Puerto Rico (2,085).

Source: [PAHO \(08/06/25\)](#)

Measles

Canada – Cases Reported in 10 Jurisdictions, Most in Ontario:

According to data from the [Public Health Agency of Canada \(PHAC\)](#), as of July 26, 2025, there have been a total of 4,394 measles cases and 1 death reported in Canada during 2025. Since the previous update, 402 additional cases were reported.

Measles Cases, Hospitalizations, and Deaths, Canada, 2025								
Probable Cases		Confirmed Cases		Hospitalizations		Deaths		
Total	Change†	Total	Change†	Total	Change†	Total	Change†	CFR*
327	+15	4,067	+402	335	+25	1	+0	0.02%

Table Notes: Data as of July 26, 2025; †Change in cumulative total compared to prior update; *CFR calculated among probable and confirmed cases.




Figure Notes: Data as of July 26, 2025, and includes confirmed and probable cases; *EPI Week of rash onset.

Cases have been reported by 10 provinces and territories, primarily Ontario (2,347) and Alberta (1,569), with Alberta reporting the highest number of new cases in the most recent week (124). There is an ongoing multijurisdictional outbreak that began in October 2024 with 4,355 cases reported – of the cases reported in Canada during 2025, 4,268 are linked to the outbreak. Those aged 5-17 years have been most affected (44%), followed by those aged 18-54 years (29%), and those aged 1-4 years (19%). Among all cases, 92% have been unvaccinated or had unknown vaccination statuses and 8% have been hospitalized. A total of 147 confirmed measles cases and 1 death were reported in Canada during 2024.

Additional Information:

- More up to date information on cases reported in Ontario is available from [Public Health Ontario](#).
- More up to date information on cases reported in Alberta is available from the [Government of Alberta](#).

Source: [PHAC \(08/05/25\)](#)


Mexico – Cases Reported in 20 Jurisdictions, Most in Chihuahua:

According to data from the [Secretary of Health of Mexico](#), as of August 5, there have been a total of 3,926 confirmed measles cases and 14 deaths reported in Mexico during 2025. Since the previous update, 331 additional confirmed cases and 3 additional deaths were reported.

Measles Cases, Hospitalizations, and Deaths, Mexico, 2025						
Probable Cases		Confirmed Cases		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR*
7,493	+519	3,938	+331	14	+3	0.4%

Table Notes: Data as of August 6, 2025; †Change in cumulative total compared to prior update; *CFR calculated among confirmed cases.

Measles Cases by EPI Week*, Mexico, 2025



Measles Cases by State, Mexico, 2025



Figure Notes: Data as of August 6, 2025, and includes confirmed cases only; *EPI Week of rash onset.

Confirmed cases have been reported by 20 states, primarily Chihuahua (3,680) and Sonora (86). Those aged 0-4 years have been most affected (907 cases – 8.72 per 100,000 population), followed by those aged 25-29 years (533 cases – 5.03 per 100,000 population), and those aged 30-34 years (440 cases – 4.21 per 100,000 population).

Additional Information:

- The Government of Mexico posts additional weekly updates with further detail on [Vaccine Preventable Diseases](#).

Source: [Government of Mexico \(08/06/25\)](#)


United States – Cases Reported in 41 Jurisdictions, Most in Texas:

According to data from [CDC](#), as of August 5, there have been a total of 1,356 confirmed measles cases and 3 deaths reported in the United States during 2025. Since the previous update, 37 additional confirmed cases were reported.

Measles Cases, Hospitalizations, and Deaths, United States, 2025						
Confirmed Cases		Hospitalizations		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR
1,356	+37	171	+6	3	+0	0.2%

Table Notes: Data as of August 5, 2025; †Change in cumulative total compared to prior update; *CFR calculated among confirmed cases.

Measles Cases by EPI Week*, United States, 2023-2025



Measles Cases by State, United States, 2025




Figure Notes: Data as of August 5, 2025; *EPI Week of rash onset; Totals for New York State and New York City are combined in figure.

Confirmed cases have been reported by 41 jurisdictions, primarily [Texas](#), [New Mexico](#), and [Kansas](#). There have been 32 outbreaks reported – 87% of confirmed cases are outbreak-associated. Those aged 5-19 years have been most affected (37%), followed by those aged 20+ years (34%), and those aged under 5 years (28%). Among all confirmed cases, 92% have been unvaccinated or had unknown vaccination statuses and 13% have been hospitalized – including 21% of cases aged under 5 years. There were a total of 285 confirmed measles cases and no deaths reported in the United States during 2024.

Additional Information:

- There have been 8 confirmed cases in [New York City \(NYC\)](#) and 8 in [New York State \(NYS\) outside of NYC](#).
- The NYS Department of Health has issued a [Measles Travel Advisory](#) for all New Yorkers.
- The CDC currently has a [Level 1 – Practice Usual Precautions](#) travel notice posted regarding measles globally.
- Real-time updates on cases and exposures are available via the [CORI Measles Outbreak Response Dashboard](#).
- The Yale School of Public Health produces highly detailed reports on [Measles Outbreaks in North America](#).
- Confirmed case totals for 2025 are the highest they have been annually since [1992 \(2,126\)](#).

Source: [CDC \(08/06/25\)](#)

Mpox

Africa – Updated Data on Public Health Emergency of International Concern:

According to data from the [World Health Organization \(WHO\)](#), as of July 27, there have been a total of 46,897 confirmed mpox cases and 188 deaths reported in Africa since the beginning of 2024. Since the previous update, 1,656 additional confirmed cases and 18 additional deaths were reported.

Mpox Cases and Deaths by Select Countries, Africa, 2024-2025						
Geography	Clades Detected	Confirmed Cases		Deaths		
		Total	Change†	Total	Change†	CFR*
Burundi	Ib	4,231	+83	1	+0	0.0%
DRC	Ia and Ib	27,317	+570	68	+3	0.2%
Sierra Leone	Ila and IIb	4,967	+252	46	+11	0.9%
Uganda	Ib	7,648	+245	48	+2	0.6%
Rest of Africa	Ia, Ib, Ila, and IIb	2,734	+506	25	+2	0.9%
Total	Ia, Ib, Ila, and IIb	46,897	+1,656	188	+18	0.4%

Table Notes: Data as of July 27, 2025. †Change in cumulative total compared to prior update; *CFR calculated among confirmed cases.




Figure Notes: Data as of July 27, 2025, and includes confirmed cases only; *Week of notification – 2,352 cases from the DRC missing from figure.

Confirmed cases have been reported by 28 African countries since the beginning of 2024 (24 during 2025), primarily the Democratic Republic of Congo, Uganda, Burundi, and Sierra Leone. Recently, activity has been increasing in Burundi, Ghana, Guinea, Kenya, Liberia, Tanzania, and Togo according to the most recent [Africa CDC weekly report](#).

Additional Information:

- In June 2025, the WHO [reaffirmed](#) that the situation constitutes a Public Health Emergency of International Concern, a designation first [declared on August 14, 2024](#).
- The CDC currently has a [Level 2 – Practice Enhanced Precautions](#) travel notice posted regarding clade II mpox in Liberia and Sierra Leone.

Source: [WHO \(07/31/25\)](#)

Global (Outside of Africa) – New Clade I Cases Reported in Multiple Countries:

According to data from the [World Health Organization \(WHO\)](#), as of July 27, there have been a total of 69 travel associated (imported) and 32 secondary clade I mpox cases reported outside of Africa during 2024-2025. Since the previous update, 1 additional imported clade Ib case was reported in The United Kingdom among an individual with recent travel history to Kenya and 11 additional secondary clade 1 cases were reported in Australia (1) and China (10).

Travel Associated Clade I Mpox Cases, Global (Outside of Africa), 2024-2025					
Cases (Clade Ia)		Cases (Clade Ib)		Secondary Cases (Clade Ia or Ib)	
Total	Change†	Total	Change†	Total	Change†
4	+0	65	+1	32	+11

Table Notes: Data as of July 27, 2025; †Change in cumulative total compared to prior update.




Figure Notes: Data as of July 27, 2025, and does not include secondary cases.

Additional Information:

- There have been 5 confirmed cases of clade Ib mpox reported in the [United States](#), including [New York State](#).

Sources: [WHO \(07/27/25\)](#)

Non-Seasonal Influenza

Cambodia – New Human Cases Reported in Multiple Provinces (H5N1):

According to data from multiple sources, as of August 5, there have been a total of 15 human H5N1 cases and [7 deaths](#) reported in Cambodia during 2025. Since the previous update, 2 additional human cases were reported.

Human Avian Influenza A(H5N1) Cases and Deaths, Cambodia, Past 6 Months				
Confirmed Cases		Deaths		
Total	Change [†]	Total	Change [†]	CFR
15	+2	7	+0	46.7%

Table Notes: Data as of August 5, 2025; [†]Change in cumulative total compared to prior update.




Figure Notes: Data as of August 5, 2025.

On July 26, the Cambodian Ministry of Health reported their 14th human H5N1 case among a 26-year-old man from Siem Reap province and on August 5, the ministry reported their 15th human H5N1 case among a 6-year-old girl from Takeo province. Both cases are currently undergoing intensive medical care and were exposed to sick and dead poultry prior to illness onset. After a period with no human H5N1 cases reported from 2015-2022, there has been a rise in the number of human H5N1 cases reported annually in Cambodia. Recent cases in the country have been caused by [clade 2.3.2.1e](#), a new reassortment of an older clade that has circulated amongst wild birds and poultry [since March of this year](#).

Additional Information:

- The Food and Agriculture Organization of the United Nations, WHO, and World Organization for animal health recently released a joint [risk assessment](#) regarding recent influenza A(H5) virus events in animals and people, assessing the global public health risk from these viruses as low and the risk for those occupationally or frequently exposed (e.g., to backyard poultry) as low to moderate depending on multiple factors.

Sources: [AFD \(07/29/25\)](#), [AFD\(08/05/25\)](#), [BEACON \(08/06/25\)](#)

Oropouche


The Americas – Updated Data on 2025 Trends:

According to data from the [Pan American Health Organization \(PAHO\)](#) extracted on July 29, there have been a total of 16,292 suspected oropouche cases, of which 12,601 are confirmed, and 6 deaths reported in the Americas during 2025. Since the previous update, 755 additional suspected cases were reported, of which 288 are confirmed.

Oropouche Cases and Deaths, Americas, 2025						
Suspected Cases		Confirmed Cases		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR*
16,292	+755	12,601	+228	6	+0	0.05%

Table Notes: Data extracted on July 29, 2025; †Change in cumulative total compared to prior update; *CFR calculated among confirmed cases

Oropouche Cases by EPI Week*, the Americas, 2024-2025



Oropouche Cases by Country, the Americas, 2025




Figure Notes: Data extracted on July 29, 2025, and includes confirmed cases only.

Confirmed cases have been reported by 8 countries in the Americas, primarily [Brazil](#) (11,853), [Panama](#) (457), and [Peru](#) (233). There were a total of 39,893 oropouche cases, of which 16,260 were confirmed, and 4 deaths (CFR: 0.02%) reported in the Americas during 2024.

Additional Information:

- The CDC currently has a [Level 1 – Practice Usual Precautions](#) travel notice posted regarding oropouche in the Americas, and a [Level 2 – Practice Enhanced Precautions](#) travel notice posted regarding oropouche in parts of Brazil and Panama.
- According to [CDC data](#), as of August 5, a total of 109 cases have been reported in the United States during 2024 (108) and 2025 (1), all of which have been travel associated.
- Travel associated cases have also been reported in [several countries in Europe](#) among individuals with recent travel history to the region.

Source: [PAHO \(07/29/25\)](#)

Pertussis

Japan – Cases Exceed 50,000 in Largest Outbreak Since 2019:

According to data from the [Japan Institute for Health Security \(JIHS\)](#), as of July 27, there have been a total of 56,664 pertussis cases reported in Japan during 2025. During epidemiological week 30, 3,399 additional pertussis cases were reported, a 13.0% decrease compared to the prior week and the [first weekly decrease observed in 5 weeks](#). Cases have been reported in all 47 prefectures, with Tokyo (4,052), Niigata (2,998), and Saitama (2,845) reporting the highest cumulative totals.

Additional Information:

- This is the highest number of pertussis cases reported in Japan since [2019 \(16,845\)](#).

Sources: [BEACON \(07/31/25\)](#), [NHK \(08/04/25\)](#), [JIHS \(08/25\)](#)




Figure Notes: Data as of July 27, 2025.

United States – Updated Data on 2025 Trends:

According to provisional data from the [CDC](#), as of August 2, 2025, there have been a total of 17,532 pertussis cases and at least [5 deaths](#) reported among United States residents and residents of United States Territories. Since the previous update, 1,226 additional cases were reported, of which 172 had symptom onset during epidemiological week 31, a 6.5% decrease compared to epidemiological week 30.

Pertussis Cases by Reporting Area with Prior Year Comparison, United States, 2025				
Reporting Area	Cases			
	Current Week	Cumulative (2025)	Cumulative (2024)	Ratio (2025/2024)
New England	1	279	749	0.4
Middle Atlantic	14	1,186	4,046	0.3
East North Central	24	2,863	2,415	1.2
West North Central	3	1,611	955	1.7
South Atlantic	63	2,444	1,438	1.7
East South Central	6	1,545	417	3.7
West South Central	23	1,154	594	1.9
Mountain	18	2,023	924	2.2
Pacific	19	4,342	2,683	1.6
United States Territories	1	85	29	2.9
Total	172	17,532	14,250	1.2

Table Notes: Data as of August 2, 2025; Case counts are provisional and subject to change; New York State is included in the Middle Atlantic region.

Case totals for 2025 are currently 1.2-times the total of 2024 as of the same date. Reported cases have been trending down since peaking in November 2024; however reported cases remain elevated this year. There were a total of 35,435 pertussis cases and 10 deaths reported in the US during [2024](#), representing a return to pre-pandemic [trends](#).

Pertussis Cases with Symptom Onset during EPI Week 31 by State, United States & Territories, 2025




Figure Notes: Data as of August 2, 2025; New York State and New York City are combined in figure.

Sources: [CDC \(08/06/25\)](#), [CDC \(06/11/25\)](#)

Polio

Global – New WPV1, cVDPV2, and cVDPV3 Cases Reported in Multiple Countries:

According to data from the [Global Polio Eradication Initiative \(GPEI\)](#), as of August 4, there have been a total of 20 confirmed wild poliovirus type 1 (WPV1) cases, 97 circulating vaccine-derived poliovirus type 2 (cVDPV2) cases, and 3 circulating vaccine-derived poliovirus type 3 (cVDPV3) cases with onset of paralysis reported during 2025. Since the previous update, 4 additional WPV1 cases were reported in Pakistan, 9 additional cVDPV2 cases were reported in Chad (1), Ethiopia (1), Nigeria (6), and Yemen (1), and 1 additional cVDPV3 case was reported in Cameroon.

Polio Cases, Global, 2025							
WPV1		cVDPV1		cVDPV2		cVDPV3	
Total	Change†	Total	Change†	Total	Change†	Total	Change†
20	+4	0	+0	97	+9	3	+1

Table Notes: Data as of August 4, 2025, and only includes cases with onset of paralysis during 2025; †Change in cumulative total compared to prior update.




Figure Notes: Data as of August 4, 2025, and only includes cases with onset of paralysis or environmental detection samples collected during 2025.

Polio cases with onset of paralysis during 2025 have been reported by 14 countries. Environmental detections from samples collected during 2025 have been reported by 12 countries with no reported cases, suggesting undetected transmission. Recent environmental detections were reported in Afghanistan (4), Germany (8), and Israel (6). A total of 99 WPV1 cases, 12 cVDPV1 cases, 368 cVDPV2 cases, and 4 cVDPV3 cases have been reported globally with onset of paralysis during 2024.

Additional Information:

- The CDC currently has a [Level 2 – Practice Enhanced Precautions](#) travel notice posted regarding polio globally.
- While not yet included in data from GPEI, an [additional WPV1 case](#) has been reported in Pakistan, bringing the total for the country for 2025 to 19 cases, most of which have been in Khyber Pakhtunkhwa (12).

Sources: [GPEI-1 \(08/04/25\)](#), [GPEI-2 \(08/04/25\)](#)

Yellow Fever

The Americas – Updated Data on 2025 Trends:

According to data from the [Pan American Health Organization \(PAHO\)](#), as of August 5, 2025, there have been a total of 265 confirmed yellow fever cases and 106 deaths reported in the Americas during 2025. Since the previous update, 6 additional confirmed cases and 2 additional deaths were reported.

Yellow Fever Cases and Deaths, Americas, 2025				
Confirmed Cases		Deaths		
Total	New	Total	New	CFR*
265	6	106	2	40.0%

Table Notes: Data as of August 5, 2025; *CFR calculated among confirmed cases.




Figure Notes: Data as of July 30, 2025, and includes confirmed cases only; *EPI Week of symptom onset.

Cases have been reported by 5 countries in South America: Bolivia (4), Brazil (110), Colombia (103), Ecuador (10), and Peru (38). A total of 61 confirmed yellow fever cases and 30 deaths (CFR: 49.2%) were reported in the Americas during 2024.

Additional Information:

- The CDC currently has a [Level 2 – Practice Enhanced Precautions](#) travel notice posted regarding yellow fever in South America.

Source: [PAHO \(08/05/25\)](#)

Other Outbreaks:

Chikungunya

- Region of the Indian Ocean – Active Level 2 Travel Health Notice ([July 24](#))
- Réunion – 54,242 Confirmed Cases Reported, Trends Still Declining ([June 26](#))

COVID-19

- Global – Activity Increasing in Several WHO Regions ([May 29](#))

Ebola

- Uganda – Outbreak Declared Over after 42 Days with No New Cases Identified ([May 1](#))

Lassa Fever

- Nigeria – Weekly Number of New Confirmed Cases Continues to Decline ([May 15](#))
- United Kingdom – Health Security Agency Identifying Case Contacts ([March 13](#))

Listeria

- United States – New Outbreak Linked to Fettucine Alfredo Meals Reported ([June 26](#))
- United States – Multistate Outbreak Linked to Ready-to-Eat Foods ([May 15](#))
- United States – Ongoing Multistate Outbreak Linked to Supplement Shakes ([February 27](#))

Marburg

- Tanzania – Outbreak Declared Over after 42 Days with No New Cases Identified ([March 13](#))

Measles

- Global – WHO Provides Monthly Update for 2025 ([July 17](#))
- Israel – 62 Confirmed Cases Reported Since Mid-April ([May 29](#))
- Morocco – WHO Provides Update on Outbreak Covering all Regions ([May 15](#))
- Vietnam – Over 75,000 Suspected Cases Reported ([April 24](#))
- Europe – 2025 Case Trends Lower Compared to 2024, Driven by Romania ([April 3](#))
- Region of the Americas – PAHO Issues Updated Rapid Risk Assessment ([March 27](#))

Meningococcal Disease

- Kingdom of Saudi Arabia – Many Cases Reported in Association with Travel for Umrah ([April 17](#))

Middle East Respiratory Syndrome (MERS)

- Kingdom of Saudi Arabia – WHO Issues Update on Detected Cases ([May 15](#))

Mpox

- United States – WHO Reports Clade I Wastewater Detections in California ([May 1](#))
- United States – Clade I Mpox Detected in North Carolina Wastewater Samples ([April 24](#))
- United Kingdom - Confirmed Clade Ib Mpox Case Detected with No Travel Link ([April 10](#))

Non-Seasonal Influenza

- India – New Human Case Reported (H5N1) ([July 17](#))
- Bangladesh – New Human Case Reported (H5N1) ([July 17](#))
- United States – New Livestock and Poultry Flock Detections Reported (HPAI) ([June 5](#))
- China – Imported Human Case Reported among Adult (H5N1) ([May 29](#))
- Vietnam – Human Case Reported with Encephalitis (H5N1) ([April 24](#))
- Mexico – Fatal Human Case Detected among Toddler (H5N1) ([April 10](#))
- United States – First Detection of 2024-2025 Season Reported in Iowa (H1N2v) ([February 13](#))
- United Kingdom – Confirmed Case Detected among Poultry Worker (H5N1) ([January 30](#))

Norovirus

- United States – Weekly Number of Outbreaks Reported Continues to Decline ([April 17](#))

Salmonella

- United States – Outbreak Linked to Eggs Declared Over ([July 17](#))
- United States – New Outbreak Linked to Frozen Sprouted Beans Reported ([July 17](#))
- United States – Update on Outbreak Linked to Backyard Poultry ([June 26](#))
- United States – New Outbreak Linked to Pistachio Cream Reported ([June 26](#))
- United States – Update on Multistate Outbreak Linked to Whole Cucumbers ([June 5](#))
- United States – Update on Multistate Outbreak Linked to Pet Geckos ([May 29](#))
- United States and Canada – Outbreak Linked to Miniature Pastries ([February 13](#))

Seasonal Influenza

- United States – Pediatric Deaths Reach 15 Year High ([May 8](#))

Tuberculosis

- England – Increasing National Trend ([February 6](#))
- United States – Increasing National Trend ([February 6](#))

Unknown Febrile Illness (Malaria)

- Democratic Republic of the Congo – Cause of Illness and Deaths Determined ([March 27](#))

Other News and Events:

- [AAP calls for end to nonmedical vaccine exemptions for school attendance | CIDRAP](#)
- [Study finds no safety issues with most recent mRNA COVID vaccines | CIDRAP](#)
- [US childhood vaccination rates continue to fall, CDC data show | CIDRAP](#)
- [Most US kids hospitalized for COVID had chronic illnesses; less than 4% were vaccinated | CIDRAP](#)
- [Czech Republic reports 50% increase in hepatitis A cases in first half of 2025](#)
- [Measles, Mongolia - BEACON](#)
- [US COVID levels continue slight upward trend | CIDRAP](#)
- [Measles, Bolivia - BEACON](#)
- [Dengue, Indonesia - BEACON](#)
- [France: More local dengue, chikungunya and West Nile virus reported](#)
- [Dengue, Samoa - BEACON](#)