



Date: 9/4/25

This weekly report from the New York State Department of Health presents summaries of select ongoing and emerging infectious disease outbreaks of interest to public health professionals and the public, both globally and in the United States. The Global Health Update summaries include preliminary and up-to-date data that are publicly available for these events at the time of posting. Because this report aggregates and summarizes data and information from outside sources, the quality, accuracy or completeness of that data, and the appropriateness of the methodology used, cannot be guaranteed. Please refer directly to those sources for any data questions. Because the report includes preliminary information, subsequent reports may contain updates or revisions to information in prior reports.

Contents

Chikungunya.....	1
Ebola	4
Measles.....	4
Mpox.....	7
Pertussis.....	9
Polio	11
Salmonella.....	12
Other Outbreaks, News, and Events (2025).....	12

Chikungunya

Europe – Updated Data on Outbreaks in France and Italy:

According to data from [Public Health France](#), as of September 2, there have been a total of 301 locally acquired chikungunya cases reported during 2025. Since the previous update, 73 additional locally acquired cases were reported. According to data from the [Higher Institute of Health in Italy](#) extracted on September 2, there have been a total of 107 locally acquired chikungunya cases reported during 2025. Since the previous update, 44 additional locally acquired cases were reported.

Chikungunya Cases and Deaths by Country, Europe, 2025							
Country	Locally Acquired Cases		Travel Associated Cases		Deaths		
	Total	Change†	Total	Change†	Total	Change†	CFR*
France	301	+73	957	+11	0	+0	0.0%
Italy	107	+44	39	+0	0	+0	0.0%

Table Notes: Data for France as of September 2, 2025; Data for Italy extracted on September 2, 2025.

Cases have been reported in 7 regions of France, primarily Provence-Alpes-Côte d’Azur (147), Nouvelle-Aquitaine (58), and Occitanie (40). There have been a total of 34 episodes of local transmission (clusters), 26 of which are still active. Cases have been reported in 2 regions of Italy, Emilia-Romagna (88) and Veneto (19). There have been a total of 4 episodes of local transmission, all of which are still active.

Additional Information:

- According to the [European Centre for Disease Prevention and Control \(ECDC\)](#), Europe is experiencing longer and more intense transmission seasons for mosquito-borne diseases, including chikungunya, primarily driven by climactic and environmental factors.
- As of August 10, 2025, a total of [54,545 confirmed chikungunya cases](#) have been reported from the French overseas department of Réunion.
- The New York State Department of Health recently issued a [Health Advisory](#) regarding chikungunya.

Chikungunya Cases by Region, France and Italy, 2025




Figure Notes: Data for France as of September 2, 2025; Data for Italy extracted on September 2, 2025.

Sources: [SPF \(9/3/25\)](#), [ISS \(9/4/25\)](#)

China – Weekly Locally Acquired Case Numbers Continue to Decline:

According to data from the [Guangdong Provincial Center for Disease Control and Prevention \(GPCDC\)](#), as of August 30, there have been a total of 10,494 locally acquired chikungunya cases reported in Guangdong Province during 2025. During the week of August 24 – 30, 2025, there were 225 additional locally acquired cases reported (a 33.0 % decrease compared to the prior week).

Chikungunya Cases and Deaths, China, 2025						
Cases		Severe Cases		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR*
10,269	+225	0	+0	0	+0	0.0%

Table Notes: Data as of August 30, 2025, and includes locally acquired cases only.

Chikungunya Cases by City, Guangdong Province, China, August 24-30, 2025




Figure Notes: Data as of August 30, 2025, and includes locally acquired cases only.

Since July 20, 2025, locally acquired cases have been reported by 21 prefecture-level cities in Guangdong Province, primarily [Foshan](#) (74.6% of cases), followed by Guangzhou (3.7%), and Zhanjiang (0.9%). According to data from GPCDC, weekly reported case totals have decreased for 5 consecutive weeks and health officials have stated that the epidemic situation is generally stable.


Additional Information:

- The CDC currently has a [Level 2 – Practice Enhanced Precautions](#) travel notice posted regarding chikungunya in China, specifically in Guangdong Province and Foshan city.
- [Hong Kong](#) has reported a total of 7 travel associated chikungunya cases with travel history to Mainland China.
- The New York State Department of Health recently issued a [Health Advisory](#) regarding chikungunya.

Sources: [GPCDC \(08/30/25\)](#)

Region of the Indian Ocean – CDC Updates Active Level 2 Travel Health Notice:

On August 29, 2025, the CDC updated their [Level 2 – Practice Enhanced Precautions](#) travel notice removing the islands of Mauritius, Mayotte, and Réunion from the list of countries currently experiencing outbreaks. Countries in the Region of the Indian Ocean currently experiencing chikungunya outbreaks include [Kenya](#) (614 suspected cases, of which 97 are confirmed, reported as of August 3, 2025), Madagascar, Somalia, and [Sri Lanka](#).



Information as of August 29, 2025.

Sources: [CDC \(08/29/2025\)](#)

The Americas – Updated Data on Cases Reported During 2025:

According to data from the [Pan American Health Organization \(PAHO\)](#) extracted on September 4, there have been a total of 222,384 suspected chikungunya cases, of which 97,030 are confirmed, and 114 deaths reported in the Americas during 2025. Since the previous update, 3,579 additional suspected cases, of which 2,091 are confirmed, and 4 deaths were reported.

Chikungunya Cases and Deaths, Americas, 2025						
Suspected Cases		Confirmed Cases		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR*
222,384	+3,579	97,030	+2,091	114	+4	0.1%

Table Notes: Data extracted on September 4, 2025; †Change in cumulative total compared to prior update; *CFR calculated among confirmed cases.

Suspected cases have been reported by 14 countries, primarily Brazil (214,288), Bolivia (5,159), and Argentina (2,656). Those countries also have the highest cumulative incidence rates, at 100.69, 41.01, and 5.79 per 100,000 residents, respectively. On August 28, the PAHO published an [epidemiological alert](#) regarding chikungunya in the Americas. While outbreaks reported from 2014 to 2020 have been caused by the Asian genotype, the East, Central, and South African (ECSA) genotype has been identified in recent outbreaks since then. Regionally, new probable and confirmed cases have been steadily trending downward since epidemiological week 21. There were 431,417 suspected cases, of which 232,586 were confirmed, and 245 deaths (CFR: 0.1%) reported in the Americas during 2024.




Figure Notes: Data extracted on September 4, 2025; *Excluding the United States (all cases travel associated).

Additional Information:

- The New York State Department of Health recently issued a [Health Advisory](#) regarding chikungunya.
- According to [CDC data](#) as of September 2, there have been a total of 60 travel associated cases chikungunya cases reported among US travelers during 2025.

Source: [PAHO \(9/4/25\)](#)

Ebola

Democratic Republic of the Congo – Ebola Outbreak Declared in Kasai Province:

On September 4, 2025, the World Health Organization (WHO) reported that health authorities in the Democratic Republic of the Congo (DRC) had declared an outbreak of Ebola Zaire in Kasai Province. As of the same date, there have been a total of 28 cases and 15 deaths (CFR: 53.6%), including 4 healthcare workers, reported in the DRC. A national rapid response team joined by WHO experts has been deployed to the province to strengthen surveillance efforts and a stockpile of treatments, including vaccine, are being moved to the province to vaccinate contacts and frontline healthcare workers. Outbreaks of Ebola have been reported previously in Kasai province (2007 and 2008). There have been a total of 15 Ebola outbreaks reported in the DRC since 1976, the last of which took place in Equateur province in 2022.

Source: [WHO \(09/04/25\)](#)

Measles

Canada – Alberta Reports Highest Number of Additional Cases:

According to data from the [Public Health Agency of Canada \(PHAC\)](#), as of August 23, there have been a total of 4,799 measles cases and 1 death reported in Canada during 2025. Since the previous update, 82 additional cases were reported, primarily in Alberta (30) and British Columbia (20).

Measles Cases, Hospitalizations, and Deaths, Canada, 2025								
Probable Cases		Confirmed Cases		Hospitalizations		Deaths		
Total	Change†	Total	Change†	Total	Change†	Total	Change†	CFR*
347	+18	4,452	+64	363	+6	1	+0	0.02%

Table Notes: Data as of August 23, 2025; †Change in cumulative total compared to prior update; *CFR calculated among probable and confirmed cases.




Figure Notes: Data as of August 23, 2025, and includes confirmed and probable cases; *EPI Week of rash onset.

Cases have been reported by 10 provinces and territories, primarily Ontario (2,377) and Alberta (1,807). Those aged 5-17 years have been most affected (44%), followed by those aged 18-54 years (29%), and those aged 1-4 years (20%). Among all cases, 93% have been unvaccinated or had unknown vaccination statuses and 8% have been hospitalized. A total of 147 confirmed measles cases and 1 death were reported in Canada during 2024.

Additional Information:

- More up to date information on cases reported in Ontario is available from [Public Health Ontario](#).
- More up to date information on cases reported in Alberta is available from the [Government of Alberta](#).

Source: [PHAC \(9/2/25\)](#)

Mexico – Cases Reported in 21 Jurisdictions, Most in Chihuahua:

According to data from the [Secretary of Health of Mexico](#), as of September 3, there have been a total of 4,400 confirmed measles cases and 17 deaths reported in Mexico during 2025. Since the previous update, 108 additional confirmed cases and 2 deaths were reported.

Measles Cases, Hospitalizations, and Deaths, Mexico, 2025						
Probable Cases		Confirmed Cases		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR*
8,690	+234	4,400	+108	17	+2	0.4%

Table Notes: Data as of September 3, 2025; †Change in cumulative total compared to prior update; *CFR calculated among confirmed cases.




Figure Notes: Data as of September 3, 2025, and includes confirmed cases only; *EPI Week of rash onset.

Confirmed cases have been reported by 21 states, primarily Chihuahua (4,096) and Sonora (87). Those aged 0-4 years have been most affected (1,056 cases – 10.15 per 100,000 population), followed by those aged 25-29 years (580 cases – 5.47 per 100,000 population), and those aged 30-34 years (469 cases – 4.49 per 100,000 population).

Additional Information:

- The Government of Mexico posts additional weekly updates with further detail on [Vaccine Preventable Diseases](#).

Source: [Government of Mexico \(9/3/25\)](#)

Israel – Over 150 Additional Cases Reported Since Previous Update:

According to [Israeli Ministry of Health](#), as of August 27, there have been a total of 770 measles cases and 2 deaths reported in Israel during 2025. Since the previous update, 152 additional cases were reported.

Measles Cases, Current Hospitalizations, and Deaths, Israel, 2025								
Cases		Active Cases		Current Hospitalizations		Deaths		
Total	Change†	Total	Change†	Total	Change†	Total	Change†	CFR*
770	+152	228	-8	24	+3	2	+0	0.3%

Table Notes: Data as of August 27, 2025; †Change in cumulative total compared to prior update; *CFR calculated among all cases.

Cases have been reported primarily among unvaccinated populations in Jerusalem, Beit Shemesh, Bnei Brak, and Nof HaGalil. A total of 228 cases are still actively infectious. Currently, 24 cases are hospitalized, with all but 1 under the age of 6 years. The number of hospitalizations observed among cases has been high and mostly among unvaccinated children, with the Ministry estimating the total number of infections to be [between 950-1,700 cases](#). A total of [54 measles cases](#) were reported in Israel during 2023-2024.

Additional Information:

- During 2018-2019, Isreal experienced a large measles outbreak with approximately 4,300 cases that was linked to outbreaks in [New York excluding New York City](#), [New Jersey](#), and [New York City](#).

Sources: [Israeli Ministry of Health \(08/28/25\)](#)

United States – Updated Data on Cases Reported During 2025:

According to data from [CDC](#), as of September 2, there have been a total of 1,431 confirmed measles cases and 3 deaths reported in the United States during 2025. Since the previous update, 23 additional confirmed cases were reported.

Measles Cases, Hospitalizations, and Deaths, United States, 2025						
Confirmed Cases		Hospitalizations		Deaths		
Total	Change†	Total	Change†	Total	Change†	CFR
1,431	+23	178	+2	3	+0	0.2%

Table Notes: Data as of September 2, 2025; †Change in cumulative total compared to prior update; *CFR calculated among confirmed cases.




Figure Notes: Data as of September 2, 2025; *EPI Week of rash onset; Totals for New York State and New York City are combined in figure.

Confirmed cases have been reported by 42 jurisdictions, primarily [Texas](#), [New Mexico](#), and [Kansas](#); however, outbreaks in those states have subsided during recent weeks or been declared over. Recently, measles outbreaks have been reported in [Wisconsin](#) and [Arizona](#). There have been 35 outbreaks reported – 86% of confirmed cases are outbreak-associated. Those aged 5-19 years have been most affected (38%), followed by those aged 20+ years (34%), and those aged under 5 years (28%). Among all confirmed cases, 92% have been unvaccinated or had unknown vaccination statuses and 12% have been hospitalized – including 21% of cases aged under 5 years. There were a total of 285 confirmed measles cases and no deaths reported in the United States during 2024.

Additional Information:

- There have been 9 confirmed cases in [New York City \(NYC\)](#) and 8 in [New York State \(NYS\) outside of NYC](#).
- The NYS Department of Health has issued a [Measles Travel Advisory](#) for all New Yorkers.
- The CDC currently has a [Level 1 – Practice Usual Precautions](#) travel notice posted regarding measles globally.
- Real-time updates on cases and exposures are available via the [CORI Measles Outbreak Response Dashboard](#).
- The Yale School of Public Health produces highly detailed reports on [Measles Outbreaks in North America](#).
- Confirmed case totals for 2025 are the highest they have been annually since [1992 \(2,126\)](#).

Source: [CDC \(9/3/25\)](#)

Mpox

Africa – Updated Data on Public Health Emergency of International Concern:

According to data from the [World Health Organization \(WHO\)](#), as of August 24, there have been a total of 49,857 confirmed mpox cases and 188 deaths reported in Africa since the beginning of 2024. Since the previous update, 597 additional confirmed cases and 1 additional death were reported.

Mpox Cases and Deaths by Select Countries, Africa, 2024-2025						
Geography	Clades Detected	Confirmed Cases		Deaths		
		Total	Change†	Total	Change†	CFR*
Burundi	Ib	4,384	+44	1	+0	0.0%
DRC	Ia, Ib, IIa, and IIb	28,576	+196	58	+1	0.2%
Liberia	IIa and IIb	600	+38	0	+0	0.0%
Sierra Leone	IIa and IIb	5,197	+48	52	+0	1.0%
Uganda	Ib	7,905	+31	48	+0	0.6%
Rest of Africa	Ia, Ib, IIa, and IIb	3,195	+240	29	+0	1.0%
Total	Ia, Ib, IIa, and IIb	49,857	+597	188	+1	0.4%

Table Notes: Data as of August 24, 2025. †Change in cumulative total compared to prior update; *CFR calculated among confirmed cases.




Figure Notes: Data as of August 24, 2025, and includes confirmed cases only; *Week of notification – 2,352 cases from the DRC missing from figure.

Confirmed cases have been reported by 29 African countries since the beginning of 2024 (25 during 2025), primarily the Democratic Republic of the Congo (DRC), Uganda, Sierra Leone, and Burundi. The [decreasing trend](#) in confirmed cases reported in Africa is largely due to a decline in cases reported by these countries. Since the previous update, [Senegal](#) reported its first confirmed case and the situation in [Kenya](#) continues to worsen, with a gradual upward trend in confirmed cases observed since April. Similar trends have been observed in Guinea, Liberia, and Ghana since May.

Additional Information:

- In June 2025, the WHO [reaffirmed](#) that the situation constitutes a Public Health Emergency of International Concern, a designation first declared by the WHO on [August 14, 2024](#). The Africa CDC declared mpox a Public Health Emergency of Continental Security on [August 13, 2024](#).
- The CDC currently has a [Level 2 – Practice Enhanced Precautions](#) travel notice posted regarding clade II mpox in Liberia and Sierra Leone.

Source: [WHO \(08/28/25\)](#)

Global (Outside of Africa) – Multiple Countries Report New Clade Ib Cases:

According to data from the [World Health Organization \(WHO\)](#), as of August 24, there have been a total of 73 travel associated and 34 secondary clade I mpox cases reported outside of Africa since the beginning of 2024. Since the previous update, 3 additional travel associated clade Ib cases were reported in Germany (1), Turkey (1), and The United Kingdom (1). Cases in Germany and Turkey were exposed to clade Ib mpox in the United Arab Emirates (UAE), while the case in the United Kingdom was exposed to clade Ib mpox in Tanzania.

Travel Associated Clade I Mpox Cases, Global (Outside of Africa), 2024-2025					
Cases (Clade Ia)		Cases (Clade Ib)		Secondary Cases (Clade Ia or Ib)	
Total	Change†	Total	Change†	Total	Change†
4	+0	69	+3	34	+0

Table Notes: Data as of August 24, 2025; †Change in cumulative total compared to prior update.

Travel Associated Clade I Mpox Cases, Global (Outside Africa), 2024-2025




Figure Notes: Data as of August 24, 2025, and does not include secondary cases.

Travel associated cases have primarily been reported in China (11), India (10), and the United Kingdom (11). Secondary cases have primarily been reported in China (20), Germany (4), and the United Kingdom (4). Almost all travel associated cases report being exposed to clade I mpox in either Africa (68.5%) or the United Arab Emirates (26.0%).

Additional Information:

- There have been 5 confirmed travel associated cases of clade Ib mpox reported in the [United States](#), including a case in [New York State](#).

Sources: [WHO \(08/28/25\)](#)

Pertussis

Japan – Weekly Reported Cases Spike in Largest Outbreak Since 2019:

According to data from the [Japan Institute for Health Security \(JIHS\)](#), as of August 23, there have been a total of 69,797 pertussis cases reported in Japan during 2025. Since the previous update, 3,142 additional pertussis cases were reported, of which 2,762 had symptom onset during epidemiological week 34 (an 83.4% increase compared to the prior week). Cases have been reported in all 47 prefectures, with Tokyo (5,259), Niigata (3,428) and Saitama (3,701) reporting the highest cumulative case totals. During the most recent week, Tokyo (245), Saitama (182), and Aichi (170) reported the highest number of new cases.

Additional Information:

- This is the highest number of pertussis cases reported in Japan since [2019 \(16,845\)](#).

Sources: [NHK \(9/1/25\)](#), [JIHS \(08/27/25\)](#)

Pertussis Cases by Prefecture, Japan, 2025




Figure Notes: Data as of August 23, 2025.

United States – Updated Data on Cases Reported During 2025:

According to provisional data from the [CDC](#), as of August 30, there have been a total of 19,688 pertussis cases and at least [5 deaths](#) reported among United States residents and residents of United States Territories during 2025. Since the previous update, 416 additional cases were reported, of which 157 had symptom onset during epidemiological week 35, a 14.7% decrease compared to epidemiological week 34 (184).

Pertussis Cases by Reporting Area with Prior Year Comparison, United States, 2025				
Reporting Area	Cases			
	Current Week	Cumulative (2025)	Cumulative (2024)	Ratio (2025/2024)
New England	1	383	1,021	0.4
Middle Atlantic	24	1,319	4,849	0.3
East North Central	27	3,159	3,169	1.0
West North Central	10	1,913	1,363	1.4
South Atlantic	49	2,783	1,748	1.6
East South Central	11	1,846	520	3.6
West South Central	16	1,277	825	1.5
Mountain	11	2,204	1,583	1.4
Pacific	8	4,688	3,183	1.5
United States Territories	0	116	34	3.4
Total	157	19,688	18,295	1.1

Table Notes: Data as of August 30, 2025; Case counts are provisional and subject to change; New York State is included in the Middle Atlantic region.

Case totals for 2025 are currently 1.1-times the total for 2024 as of the same date. According to [CDC](#), reported cases remain elevated this year with past trends suggesting that cases may increase during the summer and fall. There were a total of 35,435 pertussis cases and 10 deaths reported in the US during [2024](#), representing a return to pre-pandemic [trends](#). Recently, the [Pan American Health Organization \(PAHO\)](#) reiterated the importance of strengthening vaccination and surveillance systems in light of the resurgence of pertussis in the Americas and the emergence and spread of antibiotic-resistant strains.




Figure Notes: Data as of August 30, 2025; New York State and New York City are combined in figure.

Sources: [CDC \(9/3/25\)](#), [CDC \(06/11/25\)](#)

Global – New WPV1 and cVDPV2 Cases Reported in Multiple Countries:

According to data from the [Global Polio Eradication Initiative \(GPEI\)](#), as of September 1, there have been a total of 28 confirmed wild poliovirus type 1 (WPV1) cases, 1 confirmed circulating vaccine-derived poliovirus type 1 (cVDPV1) case, 129 circulating vaccine-derived poliovirus type 2 (cVDPV2) cases, and 4 circulating vaccine-derived poliovirus type 3 (cVDPV3) cases with onset of paralysis during 2025 reported this year. Since the previous update, 4 additional WPV1 cases were reported in Afghanistan (1) and [Pakistan](#) (3), and 5 additional cVDPV2 cases were reported in Angola (2), Chad (1), [Papua New Guinea](#) (1), and Nigeria (1).

Polio Cases, Global, 2025							
WPV1		cVDPV1		cVDPV2		cVDPV3	
Total	Change†	Total	Change†	Total	Change†	Total	Change†
28	+4	1	+0	129	+5	4	+0

Table Notes: Data as of September 1, 2025, and only includes cases with onset of paralysis during 2025; †Change in cumulative total compared to prior update.




Figure Notes: Data as of September 1, 2025, and only includes cases with onset of paralysis or environmental detection samples collected during 2025.

Polio cases with onset of paralysis during 2025 have been reported by 16 countries. Environmental detections from samples collected during 2025 have been reported by 11 countries with no reported cases, suggesting undetected transmission. Since the previous update, new environmental detections were reported in Germany (1), and Israel (1), bringing their totals to 12 and 10 environmental detections for 2025, respectively. A total of 99 WPV1 cases, 11 cVDPV1 cases, 448 cVDPV2 cases, and 4 cVDPV3 cases have been reported globally with onset of paralysis during 2024.

Additional Information:

- The CDC currently has a [Level 2 – Practice Enhanced Precautions](#) travel notice posted regarding polio globally.
- The WHO recently published a [Disease Outbreak News \(DON\)](#) item regarding genetically linked cVDPV1 detections in environmental samples collected in Israel from 7 sites, including Jerusalem and the Central Region, between February and July 2025.
- According to the [GPEI](#), wild poliovirus is endemic in two countries (Afghanistan and Pakistan) with outbreaks of variant polioviruses occurring in 38 countries.

Sources: [GPEI-1 \(9/1/25\)](#), [GPEI-2 \(9/1/25\)](#)

Salmonella

United States – New Multistate Outbreak Linked to Eggs Reported:

According to data from the [CDC](#), as of August 27, there have been a total of 95 cases infected with the outbreak strain of *Salmonella* Enteritidis linked to eggs distributed by Country Eggs, LLC.

Salmonella Outbreak Cases, Hospitalizations, and Deaths, United States, 2025			
Cases	Hospitalizations*	Deaths	
Total	Total	Total	CFR
95	18	0	0.0%

Table Notes: Data as of August 27, 2025; *Among 80 people with information available.




Figure Notes: Data as of August 27, 2025; *Week of illness onset.

Cases have been reported by 14 states, primarily California (73), and reported dates of illness onset ranging from January 7 – July 26, 2025. Illness sub-clusters have been identified at 4 restaurants where recalled eggs were served. Cases range from 1-91 years of age with a median age of 29 years. Among interviewed cases (36), 92% reported eating eggs. Country Eggs, LLC issued a [recall](#) for large brown cage free sunshine and omega-3 golden yolks with sell by dates ranging from July 1 – September 18, 2025, on August 27, 2025.

Source: [CDC \(08/28/25\)](#)

Other Outbreaks, News, and Events (2025)

Other Outbreaks:

Chikungunya

- Réunion – 54,242 Confirmed Cases Reported, Trends Still Declining ([June 26](#))

COVID-19

- Global – Activity Increasing in Several WHO Regions ([May 29](#))

Dengue

- The Americas – Updated Data on 2025 Trends ([August 7](#))

Ebola

- Uganda – Outbreak Declared Over after 42 Days with No New Cases Identified ([May 1](#))

Lassa Fever

- Nigeria – Weekly Number of New Confirmed Cases Continues to Decline ([May 15](#))
- United Kingdom – Health Security Agency Identifying Case Contacts ([March 13](#))

Listeria

- United States – New Outbreak Linked to Fettucine Alfredo Meals Reported ([June 26](#))
- United States – Multistate Outbreak Linked to Ready-to-Eat Foods ([May 15](#))
- United States – Ongoing Multistate Outbreak Linked to Supplement Shakes ([February 27](#))

Marburg

- Tanzania – Outbreak Declared Over after 42 Days with No New Cases Identified ([March 13](#))

Measles

- Global – WHO Provides Monthly Update on Cases and Rates for 2025 ([August 21](#))
- Morocco – WHO Provides Update on Outbreak Covering all Regions ([May 15](#))
- Vietnam – Over 75,000 Suspected Cases Reported ([April 24](#))
- Europe – 2025 Case Trends Lower Compared to 2024, Driven by Romania ([April 3](#))
- Region of the Americas – PAHO Issues Updated Rapid Risk Assessment ([March 27](#))

Meningococcal Disease

- Kingdom of Saudi Arabia – Many Cases Reported in Association with Travel for Umrah ([April 17](#))

Middle East Respiratory Syndrome (MERS)

- Kingdom of Saudi Arabia – WHO Issues Update on Detected Cases ([May 15](#))

Mpox

- United States – WHO Reports Clade I Wastewater Detections in California ([May 1](#))
- United States – Clade I Mpox Detected in North Carolina Wastewater Samples ([April 24](#))
- United Kingdom - Confirmed Clade Ib Mpox Case Detected with No Travel Link ([April 10](#))

Non-Seasonal Influenza

- Cambodia – New Human Cases Reported in Multiple Provinces ([August 7](#))
- India – New Human Case Reported (H5N1) ([July 17](#))
- Bangladesh – New Human Case Reported (H5N1) ([July 17](#))
- United States – New Livestock and Poultry Flock Detections Reported (HPAI) ([June 5](#))
- China – Imported Human Case Reported among Adult (H5N1) ([May 29](#))
- Vietnam – Human Case Reported with Encephalitis (H5N1) ([April 24](#))
- Mexico – Fatal Human Case Detected among Toddler (H5N1) ([April 10](#))
- United States – First Detection of 2024-2025 Season Reported in Iowa (H1N2v) ([February 13](#))
- United Kingdom – Confirmed Case Detected among Poultry Worker (H5N1) ([January 30](#))

New World Screwworm

- United States – Travel Associated Human Case Reported in Maryland ([August 28](#))

Norovirus

- United States – Weekly Number of Outbreaks Reported Continues to Decline ([April 17](#))

Oropouche

- The Americas – Updated Data on 2025 Trends ([August 21](#))

Salmonella

- United States – Update on Outbreak Linked to Backyard Poultry ([August 21](#))
- United States – Outbreak Linked to Eggs Declared Over ([July 17](#))
- United States – New Outbreak Linked to Frozen Sprouted Beans Reported ([July 17](#))
- United States – New Outbreak Linked to Pistachio Cream Reported ([June 26](#))
- United States – Update on Multistate Outbreak Linked to Whole Cucumbers ([June 5](#))
- United States – Update on Multistate Outbreak Linked to Pet Geckos ([May 29](#))
- United States and Canada – Outbreak Linked to Miniature Pastries ([February 13](#))

Seasonal Influenza

- United States – Pediatric Deaths Reach 15 Year High ([May 8](#))

Tuberculosis

- England – Increasing National Trend ([February 6](#))
- United States – Increasing National Trend ([February 6](#))

Unknown Febrile Illness (Malaria)

- Democratic Republic of the Congo – Cause of Illness and Deaths Determined ([March 27](#))

Yellow Fever

- The Americas – Updated Data on 2025 Trends ([August 7](#))

Other News and Events:

- [CDC cuts back foodborne illness surveillance program | CIDRAP](#)
- [ACIP to review COVID, hep B, and MMRV vaccine recommendations at September meeting | CIDRAP](#)
- [CDC director fired after she 'refused to rubber-stamp' Kennedy's vaccine directives | CIDRAP](#)
- [Health leaders, medical groups: CDC leader exodus puts nation's health at risk | CIDRAP](#)
- [RFK Jr deputy named CDC acting director as confusion surrounds COVID vaccine availability | CIDRAP](#)
- [Nine former CDC directors issue dire warning over Kennedy actions | CIDRAP](#)
- [Florida plans to scrap kid vaccine mandates as HHS employees demand RFK Jr resignation | CIDRAP](#)
- [West Coast governors form health alliance to ensure vaccine access | CIDRAP](#)